

HİDROLİK SİSTEMLER PRODUCT CATALOGUE










Hidrolik Sistemler Sız.El.San.Tic.Ltd.Şti



T :+90-212-5446074 • F :+90-212-5443120



www.hidroliksistemler.com



info@hidroliksistemler.com




TYPE	PRODUCT IMAGE	STYLE	MATERIAL	PAGE NO
PISTON SEAL		OSW	PU	8
		ODW	PU	8
		SPG & SPGI	PTFE+NBR + NYLON	9
		SPB & SPC	PTFE+NBR (BRONZE /CARBON)	10
		OHW	NYLON+NBR	11
		UKH	NYLON+NBR	12
		UKL	NYLON+NBR	12
		OUD	NYLON+NBR	13


TYPE	PRODUCT IMAGE	STYLE	MATERIAL	PAGE NO
PISTON SEAL		OUYK	NYLON+NBR	13
		GRB/GRC	PTFE+NBR (BRONZE/CARBON)	14
		DAS	NYLON+NBR	15
WEAR & GUIDE RING		WRW / WRN	PHENOL / NYLON	15-16
		USP	POLYESTER (TURQUOISE)	17-22
		RYW	PTFE	23
		RYW (USP)	POLYESTER (TURQUOISE)	23
		KZG	PTFE (GLASS FILLED)	24
		KZC/KZB	PTFE (CARBON /BRONZE)	25-26
		FWR	GRAPHITE FILLED NYLON	26

TYPE	PRODUCT IMAGE	STYLE	MATERIAL	PAGE NO
BUFFER SEAL		HBYW	NBR+PTFE	27
		HBW	PU+NYLON	28
		SSR	PTFE+NBR	29
		HBIW	PU	30
ROD SEAL		IDW	PU	31
		ISW	PU	31
		IUW	NBR	32
		UPRH	PU+NBR	33


TYPE	PRODUCT IMAGE	STYLE	MATERIAL	PAGE NO
BUSHING		SF-1	PTFE+STEEL	34
BEARING		BEA	NYLON	35
ROD & PISTON SEAL		UPW	PU	36
CUSHION SEAL		N4BW	PHENOL	37
		N4BN	NYLON	37
PIN DUST SEAL		DL	PU+STEEL	38
		VAW	PU+STEEL	39

TYPE	PRODUCT IMAGE	STYLE	MATERIAL	PAGE NO
DUST SEAL		DSW	PU	40
		DKW	PU+STEEL	41
		DWW	PU+STEEL	42
		SAW	NBR+STEEL	43
		DWIN	PU+STEEL	44
		DWIW	PU+STEEL	45
		DKB	PU+STEEL	46

TYPE	PRODUCT IMAGE	STYLE	MATERIAL	PAGE NO
BACK UP RING		BRN / BRB	NYLON / PTFE	47
		BRO/BRZ	PTFE	48-49
		SRP	NYLON	50
WASHER		WAS	FIBER	50
TURNING JOINT SEAL		ROI	PU	30
O-RING		OR	NBR	51
TRANSMISSION RING		IUC/OUC	PTFE (GLASS FILLED)	52-53
SEAL KIT		SEAL KIT		54
SPECIAL PRODUCTION				54



STYLE "OSW" PISTON SEAL



SEAL INFORMATION

MATERIAL	POLYURETHANE
PART NUMBER	(Prefix) ($\varnothing D$)*($\varnothing d$)*(h)

****IF YOU ARE LOOKING FOR OTHER SIZE, YOU CAN CONTACT WITH US, WE ARE ADDING NEW SIZE EVERYDAY****


PART NUMBER	
OSW	40*30*6
OSW	45*35*6
OSW	50*40*6
OSW	55*45*6
OSW	60*50*6
OSW	63*48*9
OSW	63*53*6
OSW	65*55*6
OSW	70*60*6

PART NUMBER	
OSW	75*65*6
OSW	80*70*6
OSW	85*75*6
OSW	90*80*6
OSW	93*80*10
OSW	100*85*9
OSW	102,5*90*10
OSW	110*95*9
OSW	115*100*9

PART NUMBER	
OSW	120*106*8,5
OSW	125*110*9
OSW	125*112*9
OSW	130*115*9
OSW	140*125*9
OSW	150*135*9
OSW	160*145*9
OSW	170*155*9
OSW	180*165*9



STYLE "ODW" PISTON SEAL




SEAL INFORMATION

MATERIAL	POLYURETHANE
PART NUMBER	(Prefix dimension in MM) ($\varnothing D$)*($\varnothing d$)*(h)


PART NUMBER	
ODW	50*35*10
ODW	50*35*9
ODW	50*40*10
ODW	50*40*9
ODW	55*40*10
ODW	60*45*10
ODW	60*45*9
ODW	63*48*9
ODW	65*50*10
ODW	65*50*9
ODW	70*55*10
ODW	70*55*9
ODW	75*60*10
ODW	80*60*12
ODW	80*65*10
ODW	80*65*9

PART NUMBER	
ODW	85*65*12
ODW	85*70*10
ODW	90*75*10
ODW	90*75*9
ODW	95*80*10
ODW	100*80*15
ODW	105*85*12
ODW	105*85*15
ODW	105*90*9
ODW	110*90*12
ODW	115*95*12
ODW	120*100*12
ODW	120*100*15
ODW	125*105*12
ODW	125*105*15
ODW	125*105*16

PART NUMBER	
ODW	130*110*12
ODW	130*110*15
ODW	130*110*16
ODW	135*115*12
ODW	140*120*12
ODW	140*120*16
ODW	150*130*12
ODW	150*130*16
ODW	160*140*12
ODW	160*140*16
ODW	180*160*12
ODW	180*160*16
ODW	225*200*16
ODW	190*175*9



STYLE "SPG" PISTON SEAL




SEAL INFORMATION	
MATERIAL	NBR+PTFE (BRONZE or MoS ₂)+NYLON
PART NUMBER	(Prefix dimension in MM) (ΦDo)*(ΦDi)*(H)


PART NUMBER	
SPG	45*31*8,5
SPG	50*36*8,5
SPG	60*46*8,5
SPG	63*48*10,5
SPG	65*50*10,5
SPG	70*55*10,5
SPG	75*60*10,5
SPG	80*65*10,5
SPG	85*70*10,5
SPG	90*75*10,5
SPG	95*80*10,5
SPG	100*85*12
SPG	105*90*12
SPG	110*95*12
SPG	115*100*12
SPG	120*105*12
SPG	125*102*15,5
SPG	130*107*15,5
SPG	135*112*15,5
SPG	140*117*15,5
SPG	145*122*15,5
SPG	150*127*15,5
SPG	155*132*15,5
SPG	160*137*15,5

PART NUMBER	
SPG	160*145*12
SPG	165*142*15,5
SPG	170*147*15,5
SPG	170*155*17,5
SPG	175*152*15,5
SPG	180*157*15,5
SPG	185*162*15,5
SPG	190*167*15,5
SPG	195*172*15,5
SPG	200*177*15,5
SPG	210*187*15,5
SPG	220*197*15,5
SPG	225*202*15,5
SPG	230*207*15,5
SPG	230*209*15,5
SPG	240*217*15,5
SPG	250*222*17
SPG	250*229*21
SPG	260*232*17
SPG	260*239*21
SPG	270*242*17
SPG	280*252*17
SPG	290*262*17
SPG	300*272*17

PART NUMBER	
SPGI	88,9*78,75
SPGI	101,6*87,00
SPGI	114,3*96,52
SPGI	114,3*99,70
SPGI	127,0*112,70
SPGI	139,7*120,02
SPGI	139,7*125,10
SPGI	152,4*128,27
SPGI	158,8*134,70
SPGI	165,1*141,00
SPGI	177,8*153,70
SPGI	184,1*160,00
SPGI	190,5*166,30
SPGI	196,8*172,70
SPGI	209,5*185,40



STYLE "SPB" & "SPC" PISTON SEAL



**** ALL SPC SIZES CAN BE ALSO PRODUCED AS SPB , PLEASE CONTACT US FOR CUSTOM MADE SIZES ****

SEAL INFORMATION	
SPB MATERIAL	NBR+PTFE (BRONZE)
SPC MATERIAL	NBR+PTFE (CARBON)
PART NUMBER	(Prefix dimension in MM) (øDo)*(øDi)*(H)


PART NUMBER	
SPB	50*39*5
SPB	60*49*5
SPB	70*55*7,3
SPB	70*59*5
SPB	75*60*7,3
SPB	80*65*7,3
SPB	80*69*5
SPB	90*75*7,3
SPB	90*79*5,8
SPB	95*80*7,3
SPB	100*85*7,3
SPB	110*95*7,3
SPB	120*105*7,3
SPB	130*115*7,3
SPB	140*120*10
SPB	140*122*8
SPB	140*124*7,3
SPB	150*130*10
SPB	160*140*10
SPB	160*140*9
SPB	160*141*9
SPB	170*150*10
SPB	180*160*10

PART NUMBER	
SPC	48*38*4,2
SPC	63,50*4,82
SPC	69,85*4,82
SPC	76,20*4,82
SPC	80*67*7,3
SPC	82,55*4,82
SPC	88,90*4,82
SPC	90*75*7,3
SPC	92,70*8,2
SPC	95,25*4,82
SPC	100*85*7,3
SPC	101,60*6,35
SPC	107,95*6,35
SPC	114,30*6,35
SPC	120,60*6,35
SPC	127,00*9,52
SPC	133,35*9,52
SPC	139,70*9,52
SPC	140*122*8
SPC	150*132*8
SPC	152,40*9,52
SPC	158,75*9,52
SPC	160*140*9

PART NUMBER	
SPC	165,10*9,52
SPC	170*150*9
SPC	175*153*12
SPC	177,80*9,52
SPC	184,15*9,52
SPC	190*167*10
SPC	196,85*9,52
SPC	209,55*9,52
SPC	225*203*12
SPC	234,95*9,53



STYLE "OHV" PISTON SEAL



**** IF YOU ARE LOOKING FOR OTHER SIZE, YOU CAN CONTACT WITH US, WE ARE ADDING NEW SIZE EVERYDAY****

SEAL INFORMATION	
MATERIAL	NBR+NYLON
PART NUMBER	(Prefix dimension in MM) ($\varnothing D_o$)*($\varnothing D_i$)*(H)

PART NO	
OHV	45*27*12.1
OHV	50*32*12.1
OHV	55*37*12.1
OHV	60*42*12.1
OHV	65*47*12.1
OHV	70*48*14.5
OHV	80*58*14.5
OHV	85*63*14.5


PART NO	
OHV	90*68*14.5
OHV	100*78*14.5
OHV	110*88*14.5
OHV	115*93*14.5
OHV	120*98*14.5
OHV	125*103*14.5
OHV	130*108*14.5
OHV	135*113*14.5

PART NO	
OHV	140*118*14.5
OHV	145*123*14.5
OHV	150*128*14.5
OHV	160*138*14.5
OHV	170*148*14.5
OHV	180*158*14.5
OHV	190*168*14.5
OHV	200*178*14.5





STYLE "UKH&UKL" PISTON SEAL

UKH TYPE ROD PACKING



UKL TYPE ROD PACKING



SEAL INFORMATION	
UKH MATERIAL	NBR+ U TYPE NYLON BACK UP
UKL MATERIAL	NBR+ L TYPE NYLON BACK UP
PART NUMBER	(Prefix dimension in MM) (øDo)*(øDi)*(H)

**** IF YOU ARE LOOKING FOR OTHER SIZE, YOU CAN CONTACT WITH US, WE ARE ADDING NEW SIZE EVERYDAY****


PART NUMBER	
UKH	045*030*08
UKH	050*35*08
UKH	050*035*09
UKH	55*40*09
UKH	60*45*09
UKH	65*50*09
UKH	70*55*10.5
UKH	70*55*09
UKH	75*60*12
UKH	75*60*12
UKH	80*65*12

PART NUMBER	
UKH	85*70*12
UKH	90*70*12
UKH	95*75*12
UKH	100*80*12
UKH	110*90*13


PART NUMBER	
UKL	90*70*12
UKL	95*75*12
UKL	100*80*12
UKL	110*90*13
UKL	110*90*14.7
UKL	120*100*13
UKL	130*110*13
UKL	140*120*13
UKL	150*130*13
UKL	160*140*13
UKL	180*160*13

YOUR PARTNER IN SEALING SOLUTIONS FOR YOUR HYDRAULIC APPLICATION !

T:+90-212-5446074 ▪ F:+90-212-5443120 ▪ www.hidroliksistemler.com ▪ info@hidroliksistemler.com




STYLE "OUD" PISTON SEAL




PART NUMBER	
OUD	70*40*11,3
OUD	80*50*11.5
OUD	80*55*11.5

SEAL INFORMATION	
MATERIAL	NBR+NYLON
PART NUMBER	(Prefix dimension in MM) (ØD)*(Ød)*(H)



STYLE "OUYK" TRACK ADJUST SEAL




**** IF YOU ARE LOOKING FOR OTHER SIZE, YOU CAN CONTACT WITH US, WE ARE ADDING NEW SIZE EVERYDAY****

SEAL INFORMATION	
MATERIAL	NBR+NYLON
PART NUMBER	(Prefix dimension in MM) (ØD)*(Ød)*(H)


PART NO	
OUYK	040*025*12
OUYK	050*035*12
OUYK	056*030*16
OUYK	060*035*16
OUYK	060*045*16
OUYK	070*045*16
OUYK	080*047*16
OUYK	090*065*18
OUYK	100*075*18
OUYK	110*085*18

YOUR PARTNER IN SEALING SOLUTIONS FOR YOUR HYDRAULIC APPLICATION !

T:+90-212-5446074 ▪ F:+90-212-5443120 ▪ www.hidrolikсистemler.com ▪ info@hidrolikсистemler.com



STYLE "GRB & GRC" PISTON SEAL



SEAL INFORMATION	
GRB MATERIAL	NBR+PTFE (BRONZE)
GRC MATERIAL	NBR+PTFE (CARBON)
PART NUMBER	(Prefix dimension in MM) (ØD)*(Ød)*(h)

**** IF YOU ARE LOOKING FOR OTHER SIZE, YOU CAN CONTACT WITH US, WE ARE ADDING NEW SIZE EVERYDAY****

PART NO	
GRB	040*029*4,2
GRB	045*034*4,2
GRB	050*039*4,2
GRB	055*044*4,2
GRB	060*049*4,2
GRB	060*045*6,3
GRB	063*052*4,2
GRB	065*054*4,2
GRB	065*050*6,3
GRB	070*059*4,2
GRB	070*055*6,3
GRB	075*064*4,2
GRB	075*060*6,3
GRB	080*059*8,1
GRB	080*065*6,3
GRB	085*070*6,3
GRB	085*064*8,1
GRB	090*069*8,1
GRB	090*075*6,3
GRB	095*080*6,3
GRB	095*074*8,1
GRB	100*079*8,1
GRB	100*085*6,3
GRB	110*095*6,3
GRB	110*089*8,1
GRB	115*100*6,3
GRB	115*094*8,1
GRB	120*105*6,3
GRB	120*099*8,1


PART NO	
GRB	125*104*8,1
GRB	130*109*8,1
GRB	135*114*8,1
GRB	140*119*8,1
GRB	145*124*8,1
GRB	150*129*8,1
GRB	160*139*8,1
GRB	165*144*8,1
GRB	170*149*8,1
GRB	175*154*8,1
GRB	180*159*8,1
GRB	185*164*8,1
GRB	190*169*8,1
GRB	200*179*8,1
GRB	210*189*8,1
GRB	215*194*8,1
GRB	220*199*8,1
GRB	225*204*8,1
GRB	230*209*8,1
GRB	235*214*8,1
GRB	240*219*8,1
GRB	250*229*8,1
GRB	260*239*8,1
GRB	270*249*8,1
GRB	280*259*8,1
GRB	290*269*8,1
GRB	300*279*8,1
GRB	310*289*8,1
GRB	320*299*8,1

PART NO	
GRC	085*070*6,3
GRC	090*069*8,1
GRC	090*075*6,3
GRC	095*080*6,3
GRC	100*079*8,1
GRC	105*090*6,3
GRC	110*089*8,1
GRC	115*094*8,1
GRC	120*099*8,1
GRC	125*104*8,1
GRC	130*109*8,1
GRC	135*114*8,1
GRC	140*119*8,1
GRC	145*124*8,1
GRC	150*129*8,1
GRC	160*139*8,1
GRC	165*144*8,1
GRC	170*149*8,1
GRC	180*159*8,1
GRC	190*169*8,1
GRC	200*179*8,1
GRC	205*184*8,1
GRC	215*194*8,1



YOUR PARTNER IN SEALING SOLUTIONS FOR YOUR HYDRAULIC APPLICATION !

T:+90-212-5446074 ▪ F:+90-212-5443120 ▪ www.hidroliksistemler.com ▪ info@hidroliksistemler.com



STYLE "DAS" PISTON SEAL

SEAL INFORMATION


MATERIAL	NYLON+NBR
PART NUMBER	(Prefix dimension in MM) (ΦD)*(Φd)*(h)

PART NUMBER	
DAS	60*44*18,4
DAS	60*48*20,5
DAS	63*47*18,4
DAS	80*60*22,4
DAS	90*70*22,4

PART NUMBER	
DAS	95*75*22,4
DAS	100*75*22,4
DAS	105*80*22,4
DAS	110*85*2,4
DAS	125*100*25,4



STYLE "WRW" WEAR RING



SEAL INFORMATION

MATERIAL WRW	FINE WEAVE COTTON FABRIC- REINFORCED PHONELIC COMPOSITE
MATERIAL WRN	NYLON
PARTNUMBER	(Prefix dimension in MM) (ΦD)*(Φd)*(h)

PART NUMBER	
WRW	060*055*08
WRW	060*055*09,5
WRW	060*055*15
WRW	060*055*20
WRW	070*065*08
WRW	070*065*09,5
WRW	070*065*15
WRW	070*065*20
WRW	080*075*08
WRW	080*075*09,5
WRW	080*075*15
WRW	080*075*20
WRW	085*079*15

PART NUMBER	
WRW	130*125*15
WRW	130*125*20
WRW	135*125*15
WRW	135*128*15
WRW	135*130*08
WRW	135*130*09,5
WRW	135*130*15
WRW	140*128*12,5
WRW	140*128*17,5
WRW	140*133*17,5
WRW	140*133*20
WRW	140*133*35
WRW	140*133*45

PART NUMBER	
WRW	170*162*50
WRW	170*165*08
WRW	170*165*09,5
WRW	170*165*15
WRW	170*165*20
WRW	170*165*25
WRW	170*165*30
WRW	170*165*35
WRW	170*165*50
WRW	177*170*70
WRW	180*172*22,5
WRW	180*172*30
WRW	180*172*35

All dimensions can
be produced also
WRN !

YOUR PARTNER IN SEALING SOLUTIONS FOR YOUR HYDRAULIC APPLICATION !

T:+90-212-5446074 ▪ F:+90-212-5443120 ▪ www.hidroliksistemler.com ▪ info@hidroliksistemler.com

** IF YOU ARE LOOKING FOR OTHER SIZE, YOU CAN CONTACT WITH US, WE ARE ADDING NEW SIZE EVERYDAY**


PART NUMBER	
WRW	085*080*08
WRW	085*080*09,5
WRW	085*080*15
WRW	085*080*20
WRW	090*084*12,5
WRW	090*084*25
WRW	090*085*08
WRW	090*085*09,5
WRW	090*085*15
WRW	090*085*20
WRW	095*086*12,5
WRW	095*089*20
WRW	095*090*08
WRW	095*090*09,5
WRW	095*090*15
WRW	095*090*25
WRW	100*094*12,5
WRW	100*094*20
WRW	100*094*25
WRW	100*094*30
WRW	100*095*08
WRW	100*095*09,5
WRW	100*095*15
WRW	100*095*20
WRW	110*101*12,5
WRW	110*104*25
WRW	110*105*08
WRW	110*105*09,5
WRW	110*105*15
WRW	110*105*20
WRW	115*106*15
WRW	115*110*08
WRW	115*110*09,5
WRW	115*110*15
WRW	115*110*20
WRW	120*111*15
WRW	120*114*15
WRW	120*114*30
WRW	120*114*35
WRW	120*115*08
WRW	120*115*09,5
WRW	120*115*15
WRW	120*115*20
WRW	125*120*08
WRW	125*120*09,5
WRW	125*120*15
WRW	125*120*20
WRW	130*123*30
WRW	130*123*40
WRW	130*125*08
WRW	130*125*09,5

PART NUMBER	
WRW	140*135*09,5
WRW	140*135*15
WRW	140*135*20
WRW	140*135*25
WRW	140*135*30
WRW	140*135*35
WRW	140*135*50
WRW	145*138*15
WRW	145*140*08
WRW	145*140*09,5
WRW	145*140*15
WRW	145*140*20
WRW	150*138*12,5
WRW	150*143*15
WRW	150*143*20
WRW	150*143*35
WRW	150*143*45
WRW	150*143*50
WRW	150*145*08
WRW	150*145*09,5
WRW	150*145*15
WRW	150*145*20
WRW	150*145*35
WRW	150*145*40
WRW	150*145*50
WRW	160*148*20
WRW	160*153*20
WRW	160*153*40
WRW	160*153*45
WRW	160*155*08
WRW	160*155*09,5
WRW	160*155*15
WRW	160*155*20
WRW	160*155*25
WRW	160*155*40
WRW	160*155*50
WRW	165*157*15
WRW	165*157*20
WRW	165*157*25
WRW	165*157*30
WRW	165*157*35
WRW	165*157*45
WRW	165*157*50
WRW	165*160*09,5
WRW	165*160*15
WRW	165*160*20
WRW	170*162*25
WRW	170*162*30
WRW	170*162*35
WRW	170*162*40
WRW	170*162*45

PART NUMBER	
WRW	180*172*45
WRW	180*172*50
WRW	180*172*55
WRW	180*175*08
WRW	180*175*09,5
WRW	180*175*15
WRW	180*175*20
WRW	180*175*25
WRW	180*175*30
WRW	180*175*35
WRW	180*175*40
WRW	180*175*45
WRW	180*175*50
WRW	190*182*22,5
WRW	190*182*30
WRW	190*182*35
WRW	190*182*45
WRW	190*182*50
WRW	190*185*08
WRW	190*185*09,5
WRW	190*185*15
WRW	190*185*30
WRW	195*188*90
WRW	200*192*22,5
WRW	200*192*30
WRW	200*192*40
WRW	200*192*45
WRW	200*192*50
WRW	200*195*08
WRW	200*195*09,5
WRW	200*195*15
WRW	200*195*20
WRW	210*202*25
WRW	210*202*45
WRW	210*202*50
WRW	210*204*50
WRW	215*207*50
WRW	215*209*20
WRW	215*210*15
WRW	215*210*20
WRW	215*210*35
WRW	220*212*40
WRW	220*212*45
WRW	220*212*50
WRW	225*217*25
WRW	225*217*45
WRW	225*217*50
WRW	250*242*55
WRW	280*272*60
WRW	300*292*50



STYLE "USP" PISTON SEAL



MATERIAL: Synthetic fiber-reinforced polyester composite with PTFE micro powder additions.

PART NUMBER		
25	28	3,6
		5,6
	29	8
		20
		25
	30	5
		5,6
		6,1
		8
		15
		18
		20
		25
26	30	6
		8
		10
27	32	6,1
28	31	16
		8
	32	20
		5,5
		6,1
30	34	10
		20
		25
	35	5
		5,6
		9,5
		10
		15
		20

PART NUMBER		
35	38	6,3
		10
	39	15
		25
		4
	40	5,5
		6,1
		8
		9,5
		9,8
		10
		15
		20
36	40	5
		6
		8
		10
		15
	41	5,5
		6,1
		6,3
		9,5
		22
37	40	4
	41	19,8
39	45	14
		14,5
		15
		25
		25
40	44	5
		39,8
		40

PART NUMBER		
40	45	5
		8
		9,7
		10
		12
		14,8
		15
		19,8
		20
		25
		30
		30
41	45	7,9
		12
		14,5
		20
		25,4
42	45	5,6
		19
		25,4
		10
		8
44	50	15
		20
		25
		14,5
		7,9
45	49	15
		25
		25

PART NUMBER		
45	50	5,6
		6,8
		7,8
		8
		9,5
		9,7
		10
		12
		14,8
		15
		20
		35
46	50	5
		8
		10
47	50	12
		14,5
		15
		20
		12
48	54	7,8
		7,8
		8
		6
		15
49	55	16
		20
		20

YOUR PARTNER IN SEALING SOLUTIONS FOR YOUR HYDRAULIC APPLICATION !

T: +90-212-5446074 • F: +90-212-5443120 • www.hidroliksistemler.com • info@hidroliksistemler.com

49	52	7,8
		8
	55	6
		15
		16
50	53	20
		7,9
		8
		12
	55	5,5
		6
		8
		9,5
		9,7
		10
		14,8
		15
		19,3
		20
		25
		29,5
		30
		35
	56	10
		15
		22
		25
		38,8
51	55	10
	56	10
		15
		22
52	57	9,5
54	60	7
		8
		11,8
		15
		16
		20
55	60	25
		59
		15
		5,5
		8
		9,5
		10
		12
		14,5
		14,8
		15
		20
		25
		30
		35
	61	9,7
	65	10

56	61	9,5
		15
		62
		25
57	62	24,8
		60
		4,5
		25,4
		16
58	63	15
		16
		15
		16
		12
		5,5
		6
		8
		9,5
		9,7
59	64	10
		12
		14,8
		15
		20
		25
		25
		16
		63
		4
60	65	8
		10
		20
		10
		15
		15,5
		16
		20
61	66	10
		5,4
		7,5
		9,5
		9,8
		10
		15
		19,7
		20
		25
		30
		32
		30
		10
		50
62	70	15
		60
		66
		20
		24,3
		10
63	68	31,7
		9,5
		15
		19,5
64	69	31,5
		31,5

63	70	9,5
		69
		10
		20
		6
		12,5
		14,5
		15
		15,7
		16
64	70	19,5
		24,8
		15
		5,8
		7,2
		9,5
		9,7
		10
		12
		14,8
65	70	15
		19,8
		20
		25
		30
		6,3
		9,8
		20
		35
		6
66	71	10
		20
		6
		10
		20
		5,3
		11,8
		12
		15
		20
67	75	24,8
		25
		25,4
		31
		14,5
		10
		9,5
		9,7
		10
		12
68	75	14,8
		15
		19,8
		20
		25
		30
		40
		50
		10
		10

70	76	20
		29,8
		50
		78
		59,8
71	76	70
		9,7
		20
		44
		77
72	80	10
		12
		10
		6,3
		6
73	80	10
		6
		10
		12
		14
		15
		15,8
		17
		19,5
		20
		25
		30
		5,6
		6
		9,5
74	80	9,7
		10
		12
		14,8
		15
		19,8
		20
		25
		30
		38
		18,8
		6
		10
		8
		15
75	90	12,5
		12
		20
		12,5
		6
76	95	31,8
		12,5
		15
		20
		25
77	95	38,1
		6
		9,5
		9,7
		12,5
78	95	6
		9,5
		9,7
		12,5
		12,5

90	95	14,8
		15
		25
		50
		12,8
91	96	24
		49,8
		39,7
		89,7
		8
92	100	10
		12
		12,5
		5,9
		6,1
93	100	10
		10
		14,8
		15
		30
94	101	15
		25
		10
		12,5
		14,8
95	103	15
		19
		19,8
		20
		24
96	100	24,8
		25
		30
		35
		35
97	100	10
		12
		12,5
		14,8
		15
98	105	19,7
		20
		25
		30
		35
99	100	40
		50
		8
		6
		8
100	100	10
		6
		8
		10
		10

96	100	14,8
		15
	102	8
	105	12,5
97	105	6,1
98	105	9,5
		14,5
		19,5
99	105	10
		12
		12,5
		15
		20
		25
		30
		106
		25
100	105	6
		7,9
		8
		9,5
		10
		12,5
		14,8
		15
		20
		40
	106	15
		18,8
		20
		25
	108	36
	110	12,5
		15
101	105	20
	110	10
		12
		12,5
		14,8
		15
102	108	15
	110	5,9
		8
		15
103	110	35
104	110	9,5
		10
		12
		12,5
		13
		14
		15
		20
		25
		30

104	110	35
		40
105	110	6
		7,9
		8
		8,7
		9,5
		9,7
		10
		12
		12,5
		14,8
		15
		20
		25
		30
	115	15
		20
106	110	15
		20
	111	59,8
	112	10
		12,5
		15
		20
		30
	115	15
107	115	6,1
		8
		15
108	118	15
109	115	12,5
		15
		30
		40
110	115	20
		6
		7,9
		8
		9,5
		10
		12,5
		14,8
		15
		20
		25
		30
		35
		40
	116	30
		117
		25
	120	5
		15
		16
111	120	15

111	120	15
		20
112	120	6
		8
		9,5
		15
		25
113	120	14,8
		30
114	120	9,7
		10
		12
		12,5
		14,8
		15
		20
		24,8
		25
		29,8
		30
		31,8
		35
	124	15
115	120	7,8
		8
		9,5
		9,7
		10
		12,5
		14,8
		15
		20
		25
		30
		35
	125	15
		20
116	120	15
117	122	15
		125
		8
		9,5
		10
118	140	15
		125
		10
		14,8
		15
		16,8
		30
119	124	49,8
		125
		8
		9,5
		10
		14,8

119	125	15
		19,7
		20
		25
		30
		35
		40
		46,8
	129	30
120	125	5,5
		7,8
		8
		9,5
		9,7
		10
		12,5
		14,8
		15
		20
		24,8
		25
		30
		40
		50
	126	9,7
		10
		12,8
		30
	127	12,7
		15,8
		37
		50
	128	25
	130	36
		14,8
		15
121	125	10
		130
		15
		20
122	130	6,1
		8
		9,5
		30
123	130	10
		14
		14,8
		15
		20
		25
		29,8
		30
		35
		40

124	130	10
		20
		25
		30
		35
		40
125	130	7,8
		8
		9,5
		9,7
		12,5
		14,8
		15
		20
		24,8
		25
		29,5
		30
		40
		125
	131	34,7
	132	35
	135	15
127	131	22
	132	9,2
	135	7,9
		10
		15
	137	17
128	135	139
		17,2
		150
		15
		9,5
		10
		14,8
		15
		19,5
		20
		24,8
		25
		29,5
		30
		35
		50
	140	17
		17,5
		20
		67,8
129	135	8
		13,8
		14
		15
		20
		25
		30
		35
		136
		30

130	135	7,9
		8
		9,5
		9,7
		12,5
		14,8
		15
		20
		25
		29,5
	136	10
	137	25
	140	30
		40
131	140	15
		20
132	138	20
	140	6,1
		8
		9,5
133	140	20
		10
		15
		16
		17
		17,5
		19,8
		20
		24,8
		25
		30
		34,8
		35
		40
134	140	45
		50
		17,5
		17,5
		20
		25
		30
		40
		49,8
		50
135	140	8
		8,8
		9,5
		9,7
		10
		12
		12,5
		14,8
		15
		20

135	140	30
		35
		50
		142
137	145	15
		9,5
		9,5
		10
		14,8
		15
		19,5
		20
		24,8
		25
		30
		35
		50
		150
138	145	17,5
		19,5
		70
		145
		8
		8,8
		9,5
		12,5
		14,8
		15
		20
		25
		50
139	146	24,5
		30
		30
		40
		147
		25
		30
		40
		148
		36
		150
		9,5
		14,8
		25
140	149	44,8
		150
		8
		9,5
		15
		17
		20
		25
		150
		10
		14,8
		15
		17,5
		19,5

144	150	15
		20
		25
		35
		40
		42,8
145	150	50
		8
		8,8
		9,5
		9,7
		12,5
		15
		20
		25
		35
		40
		50
		151
		50
146	151	25
		60
		157
		15
147	152	20
		15,8
		152
		15
148	155	20
		15
		19
		24,8
		35
		160
149	155	10
		20
		30
		40
		156
		35
150	155	8
		10
		12,5
		15
		20
		25
		30
		156
		35
		40
151	157	20
		25
		40
		50
		158
		23
152	160	6
		158
		25
		25,4

152	160	7,9
		25
		35
153	160	9,5
		10
		14
		15
		20
		25
		30
		35
		39,8
		40
		45
		50
154	160	15
		20
155	160	8
		9,5
		9,7
		12
		12,5
		14,8
		15
		20
		24,5
		25
		50
157	165	9,5
		10
		14,8
		15
		16
		19,7
		20
		25
		30
		35
		40
		45
		50
158	165	15
		19,5
		25,4
		50
159	170	20
160	165	30
		10
		14,8
		15
		20
		24,5
		25
		30
		35

160	165	40
		50
	166	20
	168	29,8
		36
162	170	15
		25
	170	5
		6,1
		10
		15
		20
		25
		30
		35
		40
		45
		50
		50
		50
163	170	14,8
		19,5
		20
		40
164	170	9,5
		20
		35
		50
165	170	8
		9,5
		9,7
		10
		14,5
		14,8
		15
		20
		25
		30
		35
167	175	25
		40
		40
168	175	15
		31,8
		22,5
169	175	50
170	175	10
		14,8
		25
	177	25
	179	90
	180	8
		25
		22,5
172	180	25,2
		9,5

172	180	9,5
		10
		12,5
		15
		20
		22
		22,5
		25
		30
		35
		40
		44,8
		45
173	180	9,5
		15
		20
		50
174	185	20
		22,5
		25
		25
		25
175	180	20
		25
		30
		35
		40
		50
		50
		50
		50
		50
177	183	7,9
		8
		9,5
		10
		12
179	187	12,5
		15
		20
		25
		30
180	185	35
		40
		45
		50
	183	12
		15
		140
		140
180	185	10
		14,8
		24,5
		25
		50
180	186	25
		25
		25
180	188	29,8
		36
		36
180	190	25
		25

182	190	9,5
		10
		20
		22,5
		25
		30
		35
		45
		49,8
		50
183	192	22,5
		22,5
		19,5
		19,5
		19,5
184	190	8
		15
		20
		25
		45
		50
185	190	65
		7,8
		8
		9,5
		10
185	190	15
		25
		30
		50
		50
188	200	22,5
189	195	90
		60
		70
190	195	10
		15
		18,6
		20
		25
		30
		30
		30
191	196	20
		25,4
		28
192	200	25
		10
		15
		20
		22,5
		25
		30
		40
		45
		50
194	205	90
		50
		50
194	200	10
		11,8
		15


194	200	20
		25
		30
		35
		40
		50
195	200	8
		9,5
		10
		15
		20
		25
196	203	25,2
	204	25
197	205	50
200	205	14,8
		20
		24,5
		25
	206	25
	207	37,8
	208	50
	210	59,8
202	210	25
		28
		40
		45
		50
204	210	20
		50
		60
207	215	30
		50
209	215	15,8
		25
		25,4
210	215	15
		20
		25
	220	25
		65
211	220	25
212	220	25
		45
		50
213	225	22,5
		25
214	220	15
		20
		60
		70
215	220	25
	221	30
216	224	25
		40
		50

217	225	25
		40
		45
		50
218	224	60
219	225	30
		60
220	225	14,8
		20
		24,5
		25
	228	15
		75
222	230	30
		45
		55
		60
224	230	60
227	235	30
230	236	30
232	240	30
		55
234	240	50
		60
	241	75,9
235	240	15
238	250	130
242	250	25
		30
		35
		40
		45
		55
244	250	19
		24,8
		50
		60
245	250	10
		15
		20
		25
		40
247	254	12,7
		22
250	255	14,8
		24,8
	256	25
	258	25
252	260	45
		60
254	260	50
255	265	25
259	266	50
260	266	100
	267	79
262	270	25

262	270	25
		60
267	275	60
270	275	24,8
272	280	25
		30
		50
		60
275	280	25
282	290	60
		70
289	297	70
292	300	29,8
		50
		60
		70
295	300	10
		15
		20
		25
		25
300	305	24,8
	308	75
302	310	70
304	312	70
310	320	45



STYLE "RYW" ROLL WEAR BAND



BRONZE FILLED PTFE ROLL BAND



MoS₂ FILLED PTFE ROLL BAND



POLYESTER ROLL BAND



SEAL INFORMATION	
MATERIAL	PTFE (BRONZE , MoS ₂ or Polyester)
BRAND LENGTH	$L = \pi * (D - t) - S$
PART NUMBER	(Prefix) (h)*(t)*(Length: Meter)

****IF YOU ARE LOOKING FOR OTHER SIZE, YOU CAN CONTACT WITH US, WE ARE ADDING NEW SIZE EVERYDAY****

PART NUMER
RYW 2,0-05,6=05M
RYW 2,0-05,0=13M
RYW 2,0-06,0=13M
RYW 2,0-08,0=13M
RYW 2,0-09,7=05M
RYW 2,0-09,7=13M
RYW 2,0-12,0=05M
RYW 2,0-12,8=05M
RYW 2,0-15,0=05M
RYW 2,0-15,0=13M
RYW 2,0-19,5=05M
RYW 2,0-20,0=13M
RYW 2,0-25,0=05M
RYW 2,0-25,0=13M
RYW 2,0-30,0=13M


PART NUMBER
RYW 2,0-30,0=05M
RYW 2,0-35,0=05M
RYW 2,0-40,0=05M
RYW 2,0-45,0=05M
RYW 2,0-50,0=05M
RYW 2,5-05,6=05M
RYW 2,5-06,0=10M
RYW 2,5-08,0=10M
RYW 2,5-09,0=10M
RYW 2,5-09,5=10M
RYW 2,5-10,0=10M
RYW 2,5-12,0=05M
RYW 2,5-12,8=05M
RYW 2,5-14,5=10M
RYW 2,5-15,0=05M
RYW 2,5-19,5=05M

YOUR PARTNER IN SEALING SOLUTIONS FOR YOUR HYDRAULIC APPLICATION !

T:+90-212-5446074 ▪ F:+90-212-5443120 ▪ www.hidroliksistemler.com ▪ info@hidroliksistemler.com



STYLE "KZG" DUST RING



SEAL INFORMATION

MATERIAL	PTFE (% 15 GLASS FILLED)
PART NUMBER	(Prefix dimension in MM) (ØD)*(Ød)*(h)


** IF YOU ARE LOOKING FOR OTHER SIZE, YOU CAN CONTACT WITH US, WE ARE ADDING NEW SIZE EVERYDAY**

PART NUMBER	
KZG	080*072*04
KZG	090*082*04
KZG	090*082*06
KZG	100*092*06
KZG	110*102*06
KZG	115*107*06
KZG	120*112*06
KZG	130*122*06
KZG	135*127*06
KZG	140*132*06
KZG	145*137*06
KZG	145*137*9,5
KZG	150*142*06
KZG	150*142*08
KZG	155*147*06
KZG	155*147*9,5
KZG	160*152*06

PART NUMBER	
KZG	160*152*9,5
KZG	165*157*06
KZG	165*157*9,5
KZG	170*162*06
KZG	170*162*08
KZG	170*162*9,5
KZG	175*167*06
KZG	175*167*9,5
KZG	180*172*06
KZG	180*172*9,5
KZG	185*177*08
KZG	190*182*06
KZG	190*182*08
KZG	190*182*9,5
KZG	200*192*06
KZG	200*192*9,5
KZG	230*222*9,5



STYLE "KZC&KZB" SLIDE RING



SEAL INFORMATION	
MATERIAL KZW	PTFE (CARBON OR MoS ₂)
MATERIAL KZB	PTFE (BRONZE)
PART NUMBER	(Prefix dimension in MM) (ΦD)*(Φd)*(h)

**** ALL KZC SIZES CAN BE ALSO PRODUCED AS KZB , PLEASE CONTACT US FOR CUSTOM MADE SIZES ****

PART NUMBER	
KZC	070*062*15
KZC	070*065*09,5
KZC	075*067*06
KZC	075*067*08
KZC	075*067*09,5
KZC	075*067*12
KZC	075*067*15
KZC	075*070*9,5
KZC	080*072*06
KZC	080*072*08
KZC	080*072*09,5
KZC	080*072*12
KZC	080*072*15
KZC	080*075*06
KZC	080*075*09,5
KZC	085*077*06
KZC	085*077*08
KZC	085*077*09,5
KZC	085*077*15
KZC	085*080*06
KZC	085*080*08
KZC	085*080*09,5
KZC	085*080*20
KZC	090*082*06

PART NUMBER	
KZC	090*082*08
KZC	090*082*09,5
KZC	090*082*15
KZC	090*085*06
KZC	090*085*08
KZC	090*085*09,5
KZC	090*085*20
KZC	095*087*06
KZC	095*087*08
KZC	095*087*09,5
KZC	095*087*15
KZC	095*090*08
KZC	095*090*09,5
KZC	095*090*15
KZC	100*092*06
KZC	100*092*08
KZC	100*092*09,5
KZC	100*092*15
KZC	100*095*06
KZC	100*095*09,5
KZC	100*095*20
KZC	105*097*06
KZC	105*097*08
KZC	105*097*09,5

PART NUMBER	
KZC	105*097*15
KZC	105*100*06
KZC	105*100*09,5
KZC	110*102*06
KZC	110*102*08
KZC	110*102*09,5
KZC	110*102*15
KZC	115*107*06
KZC	115*107*08
KZC	115*107*9,5
KZC	115*107*15
KZC	115*110*06
KZC	120*112*06
KZC	120*112*08
KZC	120*112*09,5
KZC	120*112*15
KZC	120*115*08
KZC	120*115*09,5
KZC	125*117*06
KZC	125*117*08
KZC	125*117*09,5
KZC	125*117*15
KZC	130*122*06
KZC	130*122*08

PART NUMBER	
KZC	130*122*09,5
KZC	130*122*15
KZC	130*125*09,5
KZC	135*127*06
KZC	135*127*08
KZC	135*127*09,5
KZC	135*127*15
KZC	140*132*06
KZC	140*132*08
KZC	140*132*09,5
KZC	140*132*15
KZC	140*135*08
KZC	140*135*09,5
KZC	145*137*06
KZC	145*137*08
KZC	145*137*09,5
KZC	145*137*15
KZC	150*142*06
KZC	150*142*08
KZC	150*142*09,5
KZC	150*142*15
KZC	160*152*06
KZC	160*152*08
KZC	160*152*09,5

PART NUMBER	
KZC	160*152*15
KZC	165*157*06
KZC	165*157*08
KZC	165*157*09,5
KZC	165*157*15
KZC	170*162*06
KZC	170*162*08
KZC	170*162*09,5
KZC	170*162*15
KZC	170*163*09,5
KZC	170*165*09,5
KZC	175*167*06
KZC	175*167*08
KZC	175*167*09,5
KZC	175*167*15
KZC	180*172*06
KZC	180*172*08
KZC	180*172*09,5
KZC	180*172*15
KZC	185*177*06
KZC	185*177*08
KZC	185*177*09,5
KZC	185*177*15
KZC	190*182*06

PART NUMBER	
KZC	190*182*08
KZC	190*182*09,5
KZC	190*182*15
KZC	200*192*06
KZC	200*192*08
KZC	200*192*09,5
KZC	200*192*15
KZC	210*202*08
KZC	210*202*09,5
KZC	215*207*08
KZC	215*207*09,5

PART NUMBER	
KZB	070*065*06
KZB	080*072*06
KZB	090*082*06
KZB	100*092*06
KZB	110*102*06
KZB	120*112*06
KZB	130*122*08
KZB	140*132*08
KZB	150*142*08
KZB	160*152*09
KZB	170*162*09
KZB	180*172*09
KZB	190*182*09
KZB	200*192*09



STYLE "FWR" WEAR RING

SEAL INFORMATION	
MATERIAL	GRAPHITE FILLED NYLON OR WITH SQUARE NBR INSIDE AS BUFFER
CUT	STEP OR SCARF CUT
PART NUMBER	(Prefix dimension in MM) (ΦD)*(Φd)*(h)



PART NUMBER	
FWR	132.89*126.5*15.875
FWR	135*130*8
FWR	139.24*132.85*15.875
FWR	140*128*12.2
FWR	140*133*20
FWR	140*135*15
FWR	145*140*15
FWR	150.8*144.4*9.5
FWR	158.25*151.9*15.875


PART NUMBER	
FWR	160*148*14.7
FWR	160*153.65*9.525
FWR	160*154*10
FWR	160*155*15
FWR	166.6875*160.3375*34.4
FWR	174.3*167.96*9.5
FWR	180*172*45
FWR	200*192*45

YOUR PARTNER IN SEALING SOLUTIONS FOR YOUR HYDRAULIC APPLICATION !

T:+90-212-5446074 ▪ F:+90-212-5443120 ▪ www.hidroliksistemler.com ▪ info@hidroliksistemler.com



STYLE "HBYW" BUFFER SEAL




SEAL INFORMATION	
MATERIAL	PTFE (BRONZE)+NBR
PART NUMBER	(Prefix dimension in MM) (ΦDi)*(ΦDo)*(H)


**** IF YOU ARE LOOKING FOR OTHER SIZE, YOU CAN CONTACT WITH US, WE ARE ADDING NEW SIZE EVERYDAY****

PART NUMBER	
HBYW	040*055,5*6,3
HBYW	045*060,5*6,3
HBYW	050*065,5*6,3
HBYW	055*070,5*6,3
HBYW	060*075,5*6,3
HBYW	065*080,5*6,3
HBYW	070*085,5*6,3
HBYW	075*090,5*6,3
HBYW	080*095,5*6,3
HBYW	085*100,5*6,3
HBYW	090*105,5*6,3
HBYW	095*110,5*6,3
HBYW	100*115,5*6,3
HBYW	105*120,5*6,3

PART NUMBER	
HBYW	110*125,5*6,3
HBYW	115*130,5*6,3
HBYW	120*135,5*6,3
HBYW	125*140,5*6,3
HBYW	130*145,5*6,3
HBYW	135*150,5*6,3
HBYW	140*156,0*6,3
HBYW	145*160,5*6,3
HBYW	150*165,5*6,3
HBYW	155*170,5*6,3
HBYW	160*175,5*6,3
HBYW	165*180,5*6,3
HBYW	170*185,5*6,3



STYLE "HBW" BUFFER SEAL



SEAL INFORMATION	
MATERIAL	POLYURETHANE+ NYLON
PART NUMBER	(Prefix dimension in MM) ($\varnothing Di$)*($\varnothing Do$)*(H)


**** IF YOU ARE LOOKING FOR OTHER SIZE, YOU CAN CONTACT WITH US, WE ARE ADDING NEW SIZE EVERYDAY****

PART NUMBER	
HBW	040*055,5*6
HBW	045*060,5*6
HBW	050*065,5*6
HBW	055*070,5*6
HBW	060*075,5*6
HBW	065*080,5*6
HBW	070*085,5*6
HBW	075*090,5*6
HBW	080*095,5*6
HBW	085*100,5*6
HBW	090*105,5*6
HBW	095*110,5*6
HBW	100*115,5*6
HBW	105*120,5*6

PART NUMBER	
HBW	110*125,5*6
HBW	115*130,5*6
HBW	120*135,5*6
HBW	125*140,5*6
HBW	130*145,5*6
HBW	135*150,5*6
HBW	140*155,5*6
HBW	150*165,5*6
HBW	155*170,5*6
HBW	160*175,5*6
HBW	165*180,5*6
HBW	170*185,5*6
HBW	190*205,5*6



STYLE "SSR" STEP SEAL




SEAL INFORMATION

MATERIAL	PTFE (BRONZE)+NBR
PART NUMBER	(Prefix dimension in MM) (ΦDi)*(ΦDo)*(H)

** IF YOU ARE LOOKING FOR OTHER SIZE, YOU CAN CONTACT WITH US, WE ARE ADDING NEW SIZE EVERYDAY**


PART NUMBER	
SSR	020*030,7*4,2
SSR	025*035,7*4,2
SSR	030*040,7*4,2
SSR	032*042,7*4,2
SSR	035*045,7*4,2
SSR	038*048,7*4,2
SSR	040*050,7*4,2
SSR	045*055,7*4,2
SSR	050*060,7*4,2
SSR	055*070,5*6,3
SSR	056*071,5*6,3
SSR	060*075,5*6,3
SSR	063*078,5*6,3
SSR	065*080,5*6,3
SSR	070*085,5*6,3
SSR	075*090,5*6,3
SSR	080*095,5*6,3
SSR	085*100,5*6,3
SSR	090*105,5*6,3

PART NUMBER	
SSR	095*110,5*6,3
SSR	100*115,5*6,3
SSR	105*120,5*6,3
SSR	110*125,5*6,3
SSR	115*130,5*6,3
SSR	120*135,5*6,3
SSR	125*140,5*6,3
SSR	130*145,5*6,3
SSR	135*150,5*6,3
SSR	140*155,5*6,3
SSR	145*160,5*6,3
SSR	150*165,5*6,3
SSR	155*170,5*6,3
SSR	160*175,5*6,3
SSR	165*180,5*6,3
SSR	170*185,5*6,3
SSR	180*195,5*6,3
SSR	200*220,5*8,1
SSR	250*270,5*8,1




STYLE "HBIW" BUFFER SEAL & "ROI" TURNING JOINT SEAL

HBIW TYPE



ROI TYPE



BLUE OR
YELLOW
COLOUR



SEAL INFORMATION

MATERIAL	POLYURETHANE
PART NUMBER	(Prefix dimension in MM) (ΦDi)*(ΦDo)*(H)

**** IF YOU ARE LOOKING FOR OTHER SIZE, YOU CAN CONTACT WITH US, WE ARE ADDING NEW SIZE EVERYDAY****

PART NUMBER	
ROI	070*081*4,9
ROI	080*091*4,9
ROI	085*096*4,9
ROI	090*101*4,9
ROI	095*106*4,9
ROI	100*111*4,9
ROI	105*116*4,9
ROI	110*121*4,9
ROI	115*126*4,9
ROI	120*131*4,9
ROI	125*136*4,9
ROI	130*141*4,9
ROI	135*146*4,9
ROI	140*151*4,9
ROI	150*161*4,9


PART NUMBER	
HBIW	038,10*052,14*2,92
HBIW	044,45*058,49*2,92
HBIW	050,80*064,84*2,92
HBIW	057,15*074,05*4,80
HBIW	060,33*077,47*4,80
HBIW	063,50*080,40*4,80
HBIW	069,85*086,75*4,80
HBIW	076,20*093,10*4,8
HBIW	082,55*099,45*4,8
HBIW	088,90*105,70*4,8
HBIW	095,25*112,40*4,8
HBIW	101,60*118,50*4,8
HBIW	107,95*133,30*5,7
HBIW	120,65*146,10*5,7
HBIW	127,00*152,40*5,7
HBIW	146,05*171,45*5,7

YOUR PARTNER IN SEALING SOLUTIONS FOR YOUR HYDRAULIC APPLICATION !

T:+90-212-5446074 • F:+90-212-5443120 • www.hidroliksistemler.com • info@hidroliksistemler.com



STYLE "IDW" ROD SEAL



SEAL INFORMATION

MATERIAL	POLYURETHANE
PART NUMBER	(Prefix dimension in MM) (ϕDi)*(ϕDo)*(H)

** IF YOU ARE LOOKING FOR OTHER SIZE, YOU CAN CONTACT WITH US, WE ARE ADDING NEW SIZE EVERYDAY**

PART NUMBER	
IDW	025*035*08
IDW	030*040*07
IDW	035*045*07
IDW	036*046*07
IDW	040*052*09
IDW	040*055*09
IDW	045*053*08
IDW	045*060*09
IDW	045*060*10
IDW	050*063*10
IDW	055*065*12
IDW	055*068*10
IDW	055*070*09
IDW	055*070*10
IDW	055*075*12
IDW	056*071*09
IDW	060*073*10
IDW	060*075*09
IDW	060*075*10
IDW	060*080*12
IDW	065*078*10
IDW	065*80*09
IDW	065*080*10

PART NUMBER	
IDW	065*080*12
IDW	065*085*12
IDW	070*083*10
IDW	070*085*09
IDW	070*085*10
IDW	070*090*12
IDW	075*088*10
IDW	075*090*09
IDW	075*090*10
IDW	075*095*12
IDW	080*093*10
IDW	080*095*09
IDW	080*095*10
IDW	080*100*12
IDW	085*100*09
IDW	085*100*10
IDW	085*105*12
IDW	090*105*09
IDW	090*105*10
IDW	090*110*12
IDW	090*110*15
IDW	095*110*09
IDW	095*110*10

PART NUMBER	
IDW	095*110*12
IDW	095*115*12
IDW	100*115*09
IDW	100*115*10
IDW	100*120*12
IDW	105*120*09
IDW	105*120*10
IDW	105*125*12
IDW	105*125*15
IDW	110*125*09
IDW	110*125*10
IDW	110*130*12
IDW	110*130*16
IDW	115*130*09
IDW	115*130*10
IDW	115*135*12
IDW	115*135*16
IDW	120*135*09
IDW	120*135*10
IDW	120*140*12
IDW	120*140*16
IDW	125*140*09
IDW	125*145*12



PART NUMBER	
IDW	130*145*09
IDW	130*150*12
IDW	140*160*12
IDW	140*160*15
IDW	150*170*12
IDW	150*170*16
IDW	160*180*12
IDW	160*180*16
IDW	038,10*047,62
IDW	044,45*053,98
IDW	050,80*063,50
IDW	057,15*069,85
IDW	060,33*073,03
IDW	063,50*076,20
IDW	069,85*082,55
IDW	076,20*088,90
IDW	082,55*095,25
IDW	088,90*101,60
IDW	095,25*107,95
IDW	101,60*117,47
IDW	107,95*127,00
IDW	120,65*139,70
IDW	127,00*146,05
IDW	146,05*165,10

YOUR PARTNER IN SEALING SOLUTIONS FOR YOUR HYDRAULIC APPLICATION !

T:+90-212-5446074 ■ F:+90-212-5443120 ■ www.hidroliksistemler.com ■ info@hidroliksistemler.com



STYLE "IUW" ROD SEAL




SEAL INFORMATION	
MATERIAL	NBR+ PTFE (BRONZE) BACK UP
PART NUMBER	(Prefix dimension in MM) ($\varnothing D_i$)*($\varnothing D_o$)*(H)


**** IF YOU ARE LOOKING FOR OTHER SIZE, YOU CAN CONTACT WITH US, WE ARE ADDING NEW SIZE EVERYDAY****

PART NUMBER	MATERIAL
IUW 040*050*07+3	
IUW 045*055*07+3	NBR + BZ.PTFE
IUW 045*060*09,5	NBR + BZ.PTFE
IUW 050*060*06	NBR
IUW 050*063*10	NBR
IUW 055*068*10	NBR
IUW 060*070*06	NBR
IUW 060*073*10	NBR
IUW 065*075*06	NBR
IUW 065*078*10	NBR
IUW 070*083*10+3	NBR
IUW 075*088*10+3	NBR + BZ.PTFE

PART NUMBER	MATERIAL
IUW 080*093*10+3	NBR + BZ.PTFE
IUW 085*100*10+3	NBR + BZ.PTFE
IUW 090*105*10+3	NBR + BZ.PTFE
IUW 095*110*10+3	NBR + BZ.PTFE
IUW 100*115*10+3	NBR + BZ.PTFE
IUW 100*120*10	NBR + BZ.PTFE
IUW 105*120*10	NBR
IUW 110*125*10	NBR
IUW 110*130*10+3	NBR
IUW 115*130*10	NBR + BZ.PTFE
IUW 120*135*10	NBR
IUW 120*140*10	NBR
IUW 130*150*12	NBR



STYLE "UPRH" ROD SEAL



SEAL INFORMATION	
MATERIAL	POLYURETHANE+NBR
PART NUMBER	(Prefix dimension in MM) (Φd)*(ΦD)*(H)

**** IF YOU ARE LOOKING FOR OTHER SIZE, YOU CAN CONTACT WITH US, WE ARE ADDING NEW SIZE EVERYDAY****

PART NUMBER	
UPRH	40*50*6
UPRH	40*50*7
UPRH	40*55*10
UPRH	45*55*6
UPRH	45*55*10
UPRH	45*60*12
UPRH	50*60*6
UPRH	50*63*10
UPRH	50*65*9
UPRH	50*65*10
UPRH	50*70*12
UPRH	50,8*63,5*9,7
UPRH	55*65*6
UPRH	55*68*10
UPRH	55*70*9
UPRH	55*70*10
UPRH	55*75*12
UPRH	57,15*69,85*9,7
UPRH	60*70*7
UPRH	60*70*8
UPRH	60*73*10
UPRH	60*75*9
UPRH	60*75*10
UPRH	60*75*12
UPRH	60*80*12
UPRH	63,5*76,2*9,7
UPRH	65*75*6

PART NUMBER	
UPRH	65*75*8
UPRH	65*78*10
UPRH	65*80*9
UPRH	65*80*10
UPRH	65*80*12
UPRH	65*85*12
UPRH	70*80*6
UPRH	70*80*8
UPRH	70*83*10
UPRH	70*85*9
UPRH	70*85*10
UPRH	70*85*12
UPRH	70*90*10
UPRH	70*90*12
UPRH	75*85*6
UPRH	75*85*10
UPRH	75*88*10
UPRH	75*90*9
UPRH	75*90*10
UPRH	75*90*12
UPRH	75*95*12
UPRH	76,2*88,9*9,7
UPRH	80*90*6
UPRH	80*90*8
UPRH	80*93*10
UPRH	80*95*9
UPRH	80*95*10

PART NUMBER	
UPRH	80*95*12
UPRH	80*100*10
UPRH	80*100*12
UPRH	85*100*9
UPRH	85*100*10
UPRH	85*100*12
UPRH	85*105*12
UPRH	90*100*6
UPRH	90*105*9
UPRH	90*105*10
UPRH	90*105*12
UPRH	90*110*12
UPRH	90*110*15
UPRH	95*105*10
UPRH	95*110*9
UPRH	95*110*10
UPRH	95*110*12
UPRH	95*115*12
UPRH	100*115*9
UPRH	100*115*10
UPRH	100*115*12
UPRH	100*120*10
UPRH	100*120*12
UPRH	100*120*15
UPRH	105*120*9
UPRH	105*120*10
UPRH	105*125*12




PART NUMBER	
UPRH	105*125*15
UPRH	110*125*9
UPRH	110*125*10
UPRH	110*130*10
UPRH	110*130*12
UPRH	110*130*13
UPRH	110*130*15
UPRH	110*130*16
UPRH	115*130*9
UPRH	115*130*10
UPRH	115*135*12
UPRH	115*135*16
UPRH	118*133*9
UPRH	120*135*9
UPRH	120*140*10
UPRH	120*140*12
UPRH	120*140*15
UPRH	125*140*9
UPRH	125*145*12
UPRH	130*145*9
UPRH	130*145*10
UPRH	130*150*12
UPRH	130*150*16
UPRH	140*155*9
UPRH	140*160*12
UPRH	160*180*12

YOUR PARTNER IN SEALING SOLUTIONS FOR YOUR HYDRAULIC APPLICATION !

T:+90-212-5446074 ▪ F:+90-212-5443120 ▪ www.hidrolikсистemler.com ▪ info@hidrolikсистemler.com



STYLE "SF-1" BUSHING



BUSHING INFORMATION	
MATERIAL	Carbon Steel + Copper or Tin Layer + Bronze Layer + PTFE
PART NUMBER	(Prefix dimension in MM) (Φd)*(ΦD)*(L)

****IF YOU ARE LOOKING FOR OTHER SIZE, YOU CAN CONTACT WITH US, WE ARE ADDING NEW SIZE EVERYDAY****

PART NUMBER	
SF-1	018-020-025
SF-1	025-028-030
SF-1	030-034-025
SF-1	035-039-025
SF-1	035-039-030
SF-1	040-044-025
SF-1	040-044-040
SF-1	040-044-050
SF-1	045-050-025
SF-1	045-050-030
SF-1	045-050-040
SF-1	045-050-060
SF-1	050-055-010
SF-1	050-055-015
SF-1	050-055-030
SF-1	050-055-040
SF-1	050-055-050
SF-1	055-060-030
SF-1	055-060-035
SF-1	055-060-040

PART NUMBER	
SF-1	060-065-020
SF-1	060-065-030
SF-1	060-065-040
SF-1	060-065-050
SF-1	060-065-060
SF-1	060-065-070
SF-1	065-070-015
SF-1	065-070-030
SF-1	065-070-040
SF-1	070-075-015
SF-1	070-075-030
SF-1	070-075-040
SF-1	070-075-050
SF-1	070-075-070
SF-1	075-080-030
SF-1	075-080-035
SF-1	075-080-040
SF-1	075-080-050
SF-1	080-085-020
SF-1	080-085-030



PART NUMBER	
SF-1	080-085-035
SF-1	080-085-040
SF-1	080-085-050
SF-1	080-085-060
SF-1	080-085-070
SF-1	085-090-030
SF-1	085-090-040
SF-1	090-095-020
SF-1	090-095-030
SF-1	090-095-035
SF-1	090-095-040
SF-1	090-095-045
SF-1	090-095-050
SF-1	090-095-060
SF-1	090-095-080
SF-1	095-100-030
SF-1	095-100-040
SF-1	095-100-045
SF-1	095-100-050
SF-1	100-105-030

PART NUMBER	
SF-1	100-105-035
SF-1	100-105-040
SF-1	100-105-045
SF-1	100-105-050
SF-1	100-105-070
SF-1	105-110-035
SF-1	105-110-040
SF-1	105-110-045
SF-1	105-110-050
SF-1	105-110-060
SF-1	110-115-030
SF-1	110-115-035
SF-1	110-115-040
SF-1	110-115-045
SF-1	110-115-050
SF-1	110-115-055
SF-1	110-115-060
SF-1	115-120-030
SF-1	115-120-035
SF-1	115-120-045

PART NUMBER	
SF-1	115-120-050
SF-1	120-125-020
SF-1	120-125-035
SF-1	120-125-040
SF-1	120-125-050
SF-1	120-125-060
SF-1	125-130-035
SF-1	125-130-040
SF-1	125-130-050
SF-1	125-130-075
SF-1	130-135-030
SF-1	130-135-035
SF-1	130-135-040
SF-1	130-135-050
SF-1	130-135-060
SF-1	140-145-035
SF-1	140-145-040
SF-1	140-145-050
SF-1	140-145-080
SF-1	150-155-050
SF-1	160-165-060



STYLE "BEA" BEARING



SEAL INFORMATION	
MATERIAL	CAST.NYLON
PART NUMBER	(Prefix dimension in MM) (øDi)*(øDo)*(H)

INCH AND METRIC SIZES AVAILABLE !

- High mechanical resistance
- High wear and impact resistance
- Low coefficient of friction
- High chemical resistance
- High vibration and impact absorption capacity

**** IF YOU ARE LOOKING FOR OTHER SIZE, YOU CAN CONTACT WITH US, WE ARE ABLE TO MANUFACTURE CUSTOM MADE SIZES ****

PART NUMBER	
BEA	038,30*050,90*38,1
BEA	044,65*057,25*36,2
BEA	060,50*073,50*22,2
BEA	063,70*076,20*64,1
BEA	076,25*089,00*82,4
BEA	089,10*101,80*44,3
BEA	101,80*114,50*58,7
BEA	116,20*127,20*30
BEA	127,30*139,80*67,8


PART NUMBER	
BEA	127,30*141,10*67,8
BEA	152,70*165,20*50,7
BEA	165,40*181,20*50,7
BEA	171,00*181,00*67,4
BEA	174,90*187,50*70,3
BEA	201,50*212,00*88
BEA	210,30*225,20*61,7
BEA	260,30*270,20*56,8
BEA	275,30*285,20*59,8
BEA	348,50*361,40*81,4

YOUR PARTNER IN SEALING SOLUTIONS FOR YOUR HYDRAULIC APPLICATION !

T:+90-212-5446074 ▪ F:+90-212-5443120 ▪ www.hidroliksistemler.com ▪ info@hidroliksistemler.com




STYLE "UPW" ROD&PISTON SEAL





SEAL INFORMATION	
MATERIAL	POLYURETHANE
PART NUMBER	(Prefix dimension in MM) ($\varnothing D_i$)*($\varnothing D_o$)*(H)

**** IF YOU ARE LOOKING FOR OTHER SIZE, YOU CAN CONTACT WITH US, WE ARE ADDING NEW SIZE EVERYDAY****

PART NUMBER	
UPW	38,1*57,15*12
UPW	47,6*73,20*16
UPW	76,2*101,6*16



STYLE "N4BW" CUSHION SEAL



SEAL INFORMATION	
MATERIAL	PHENOL
PART NUMBER	(Prefix dimension in MM) (ΦD)*(Φd)*(h)

** IF YOU ARE LOOKING FOR OTHER SIZE, YOU CAN CONTACT WITH US, WE ARE ADDING NEW SIZE EVERYDAY**



PART NUMBER	
N4B	30*26*5
N4B	38*33*6
N4B	40*35*6
N4B	46*41*6
N4B	55*50*6
N4B	60*55*6
N4B	65*60*6

PART NUMBER	
N4B	67,5*62,5*6
N4B	70*65*6
N4B	75*70*6
N4B	77,5*72,5*6
N4B	80*75*6
N4B	82,5*77,5*6
N4B	85*80*6

PART NUMBER	
N4B	90*85*6
N4B	92,5*87,5*6
N4B	95*88,8*6
N4B	95*90*6
N4B	100*95*6
N4B	105*100*6
N4B	110*105*6
N4B	115*110*6
N4B	120*115*6



STYLE "N4BN" CUSHION SEAL




SEAL INFORMATION	
MATERIAL	NYLON
PART NUMBER	(Prefix dimension in MM) (ΦD)*(Φd)*(h)

PART NUMBER	
N4BN	30*25*5
N4BN	38*32*6
N4BN	65*59*6
N4BN	70*64*6


PART NUMBER	
N4BN	75*69*6
N4BN	80*74*6
N4BN	90*84*6

YOUR PARTNER IN SEALING SOLUTIONS FOR YOUR HYDRAULIC APPLICATION !

T:+90-212-5446074 • F:+90-212-5443120 • www.hidroliksistemler.com • info@hidroliksistemler.com



STYLE "DL" PIN DUST SEAL




SEAL INFORMATION	
MATERIAL	POLYURETHANE+STEEL
PART NUMBER	(Prefix dimension in MM) (ΦDi)*(ΦDo)*(H)


****IF YOU ARE LOOKING FOR OTHER SIZE, YOU CAN CONTACT WITH US, WE ARE ADDING NEW SIZE EVERYDAY****

PART NUMBER	
DL	040*050*04
DL	045*055*04
DL	050*060*04,5
DL	050*065*07,5
DL	055*068*04
DL	055*070*07,5
DL	060*075*05
DL	060*075*07,5
DL	065*080*05
DL	070*085*05
DL	070*085*08
DL	070*090*05
DL	075*090*08

PART NUMBER	
DL	080*095*05
DL	080*095*08
DL	085*100*06
DL	085*100*08
DL	090*105*06
DL	090*105*08
DL	090*110*05
DL	095*110*08
DL	100*115*05
DL	100*115*07
DL	110*125*05
DL	110*125*09
DL	120*135*08



STYLE "VAW" PIN DUST SEAL



SEAL INFORMATION	
MATERIAL	POLYURETHANE+STEEL
PART NUMBER	(Prefix dimension in MM) (ΦDi)*(ΦDo)*(H)


** IF YOU ARE LOOKING FOR OTHER SIZE, YOU CAN CONTACT WITH US, WE ARE ADDING NEW SIZE EVERYDAY**

PART NUMBER	
VAW	025*035*04
VAW	030*040*04
VAW	035*045*04
VAW	040*050*04
VAW	040*050*06
VAW	045*055*04
VAW	045*055*06
VAW	050*060*04
VAW	050*060*05
VAW	050*060*06
VAW	050*065*06
VAW	050*065*07,5
VAW	055*065*04
VAW	055*068*04
VAW	055*070*04
VAW	055*070*06
VAW	055*075*06
VAW	060*075*04
VAW	060*075*05
VAW	060*075*06
VAW	060*075*08
VAW	065*075*04



PART NUMBER	
VAW	065*080*04
VAW	065*080*05
VAW	065*080*06
VAW	065*080*07
VAW	065*080*08
VAW	065*085*05
VAW	065*085*06
VAW	070*080*04
VAW	070*080*06
VAW	070*085*04
VAW	070*085*05
VAW	070*085*06
VAW	070*085*07
VAW	070*085*08
VAW	075*090*04
VAW	075*090*05
VAW	075*090*06
VAW	075*090*08
VAW	075*095*07
VAW	080*090*04
VAW	080*090*05
VAW	080*095*04

PART NUMBER	
VAW	080*095*05
VAW	080*095*06
VAW	080*095*07
VAW	080*095*08
VAW	080*095*10
VAW	080*095*11
VAW	080*100*06
VAW	085*095*05
VAW	085*100*04
VAW	085*100*08
VAW	090*100*04
VAW	090*100*04,5
VAW	090*105*04
VAW	090*105*06
VAW	090*105*07,5
VAW	090*105*08
VAW	090*105*11
VAW	090*105*13
VAW	090*110*06
VAW	090*110*08
VAW	090*110*10
VAW	095*110*04

PART NUMBER	
VAW	095*110*08
VAW	100*115*04
VAW	100*115*08
VAW	100*115*11
VAW	100*120*04
VAW	100*120*08
VAW	100*120*10
VAW	110*125*04
VAW	110*125*08
VAW	110*125*09
VAW	110*130*04
VAW	110*130*08
VAW	110*135*08
VAW	115*130*08
VAW	120*130*08
VAW	120*135*04
VAW	120*140*04
VAW	120*140*08
VAW	125*140*04
VAW	140*155*04
VAW	140*155*08



STYLE "DSW" DUST SEAL



SEAL INFORMATION	
MATERIAL	POLYURETHANE
PART NUMBER	(Prefix dimension in MM) (Φd)*(ΦD)*(h)

** IF YOU ARE LOOKING FOR OTHER SIZE, YOU CAN CONTACT WITH US, WE ARE ADDING NEW SIZE EVERYDAY**

PART NUMBER	
DSW	11*16*3
DSW	12*17*6
DSW	12*20*4.5/6
DSW	14.5*18.5*2.9
DSW	15*21*4.6
DSW	16*21.5*1.8/3.6
DSW	16*21.5*4.6
DSW	20*26*1.8/3.5
DSW	20*26.4*4.6
DSW	20*28*4.5/6
DSW	22*30*5/6.5
DSW	25*31*1.8/3.1
DSW	25*31.6*4.5
DSW	25*33*4.5/6
DSW	28*34*2/3.5
DSW	28*35*5.5
DSW	30*38*5/6.5
DSW	35*43*5/6.5
DSW	36*44*2.3/4.3


PART NUMBER	
DSW	36*44*5/6,5
DSW	36*45*6
DSW	38*47*4,5/7
DSW	40*48*5/6,5
DSW	40*50*6/8
DSW	45*53*2,5/4,5
DSW	45*53*5/6,5
DSW	45*54*7
DSW	45*55*6/8
DSW	50*58*5/6,5
DSW	50*60*6,8
DSW	55*63*5/6,5
DSW	55*65*6/8,5
DSW	60*68*2,5/5
DSW	60*68*7
DSW	60*70*7
DSW	60*73*7/9,5
DSW	63,5*71,44*4,76
DSW	63,5*76,2*6,31/9,5

PART NUMBER	
DSW	63,5*76,2*6,35
DSW	65*73*5/6,5
DSW	65*78*5/6,5
DSW	65*78*7/9,5
DSW	70*80*6/8
DSW	70*83*7/9,5
DSW	75*83*2,9/4,9
DSW	75*85*6/8
DSW	75*85*7
DSW	75*88*7/9,5
DSW	80*90*6/8
DSW	80*93*7/9,5
DSW	85*95*6/8
DSW	85*98*7/9,5
DSW	90*100*6,8
DSW	90*102*8
DSW	90*103*7/9,5
DSW	95*105*6/8
DSW	95*108*7/9,5

PART NUMBER	
DSW	100*110*6/8
DSW	100*113*7/9,5
DSW	105*115*6/8
DSW	106*116*6/8
DSW	110*120*6/8
DSW	110*123*7/9,5
DSW	112*122*6/8
DSW	115*130*6/9
DSW	118*128*6/8
DSW	120*130*6/8
DSW	125*135*7/10
DSW	125*138*7/9,5
DSW	130*143*7/9,5
DSW	140*153*7/9,5
DSW	140*155*5,5/7,5
DSW	145*158*7/9,5
DSW	175*188*7/9,5



STYLE "DKW" DUST SEAL




SEAL INFORMATION	
MATERIAL	POLYURETHANE+STEEL
PART NUMBER	(Prefix dimension in MM) (Φd)*(ΦD)*(h)

** IF YOU ARE LOOKING FOR OTHER SIZE, YOU CAN CONTACT WITH US, WE ARE ADDING NEW SIZE EVERYDAY**



PART NUMBER	
DKW	25*37*6/9
DKW	28*40*6/9
DKW	30*42*6/9
DKW	30*45*7/10
DKW	32*44*7/10
DKW	32*52*8/11
DKW	35*47*7/10
DKW	38*50*7/10
DKW	40*52*7/10
DKW	45*57*7/10

PART NUMBER	
DKW	50*62*7/10
DKW	55*69*8/11
DKW	60*74*8/11
DKW	65*74*8/11
DKW	65*79*8/11
DKW	70*84*8/11
DKW	75*89*8/11
DKW	80*94*8/11
DKW	85*99*8/11
DKW	90*104*8/11
DKW	95*109*8/11

PART NUMBER	
DKW	100*114*8/11
DKW	105*121*9/12
DKW	110*126*9/12
DKW	115*131*9/12
DKW	120*136*9/12
DKW	130*146*9/12
DKW	140*160*10/14
DKW	150*170*10/14
DKW	180*205*12/17
DKP	190*215*12/17



STYLE "DWW" DUST SEAL



SEAL INFORMATION	
MATERIAL	POLYURETHANE+STEEL
PART NUMBER	(Prefix dimension in MM) (Φd)*(ΦD)*(h)

**** IF YOU ARE LOOKING FOR OTHER SIZE, YOU CAN CONTACT WITH US, WE ARE ADDING NEW SIZE EVERYDAY****



PART NUMBER	
DWW	15*23*5
DWW	16*24*5
DWW	20*28*5
DWW	25*32*7
DWW	25*37*6
DWW	25*37*7
DWW	35*47*7
DWW	36*46*7
DWW	40*52*7
DWW	45*57*7

PART NUMBER	
DWW	50*60*7
DWW	50*62*7
DWW	55*69*8
DWW	60*74*8
DWW	65*75*7
DWW	65*79*8
DWW	70*84*8
DWW	75*89*8
DWW	80*94*8
DWW	85*99*8

PART NUMBER	
DWW	90*104*8
DWW	95*109*8
DWW	100*114*8
DWW	105*121*9
DWW	110*126*9
DWW	115*131*9
DWW	120*136*9
DWW	125*141*9
DWW	130*146*9
DWW	150*170*10



STYLE "SAW" DUST SEAL



SEAL INFORMATION	
MATERIAL	STEEL +NBR
PART NUMBER	(Prefix dimension in MM) (Φd)*(ΦD)*(h)




** IF YOU ARE LOOKING FOR OTHER SIZE, YOU CAN CONTACT WITH US, WE ARE ADDING NEW SIZE EVERYDAY**

PART NUMBER	
SAW	030*040*7/10
SAW	035*045*7/10
SAW	040*050*7/10
SAW	045*055*7/10
SAW	050*060*7/10
SAW	055*065*7/10
SAW	060*070*7/10
SAW	065*075*7/10
SAW	070*080*7/10
SAW	070*085*7/10

PART NUMBER	
SAW	075*085*7/10
SAW	080*090*7/10
SAW	085*095*7/10
SAW	090*100*7/10
SAW	095*105*7/10
SAW	100*110*7/10
SAW	105*115*7/10
SAW	110*120*7/10
SAW	115*125*7/10
SAW	120*130*7/10



STYLE "DWIN" DUST SEAL




SEAL INFORMATION

MATERIAL	POLYURETHANE+STEEL
PART NUMBER	(Prefix dimension in MM) (ΦDi)*(ΦDo)*(H)



**** IF YOU ARE LOOKING FOR OTHER SIZE, YOU CAN CONTACT WITH US, WE ARE ADDING NEW SIZE EVERYDAY****

PART NUMBER	
DWIN	031,80*044,45*07,94
DWIN	038,10*047,43*04,76
DWIN	038,10*050,80*06,35
DWIN	038,10*057,15*09,53
DWIN	044,45*057,15*09,53
DWIN	044,45*057,25*06,35
DWIN	044,45*061,92*09,53
DWIN	050,80*060,63*04,76
DWIN	050,80*063,50*06,35
DWIN	050,80*063,50*07,94
DWIN	050,80*068,33*09,53
DWIN	057,15*069,85*06,35
DWIN	057,15*069,85*07,94
DWIN	057,15*069,85*09,53
DWIN	057,15*076,20*07,94

PART NUMBER	
DWIN	057,15*076,20*09,53
DWIN	060,32*079,48*09,53
DWIN	063,50*076,20*04,76
DWIN	063,50*076,20*07,94
DWIN	063,50*082,55*07,94
DWIN	063,50*082,55*09,53
DWIN	069,85*082,68*07,94
DWIN	069,85*095,40*12,70
DWIN	076,20*088,90*07,94
DWIN	076,20*101,60*12,70
DWIN	082,55*108,08*12,70
DWIN	088,90*101,73*07,94
DWIN	088,90*114,30*12,70
DWIN	114,30*133,60*07,93



STYLE "DWIW" DUST SEAL



SEAL INFORMATION

MATERIAL	POLYURETHANE+STEEL
PART NUMBER	(Prefix dimension in MM) (ΦDi)*(ΦDo)*(H)

**** IF YOU ARE LOOKING FOR OTHER SIZE, YOU CAN CONTACT WITH US, WE ARE ADDING NEW SIZE EVERYDAY****

PART NUMBER	
DWIW	025*035*5/7
DWIW	025*037*6/9
DWIW	030*040*5/7
DWIW	030*040*7/10
DWIW	035*045*5/7
DWIW	035*047*7/10
DWIW	040*050*5/7
DWIW	040*050*7/10
DWIW	040*052*7/10
DWIW	045*055*5/7
DWIW	045*055*7/10
DWIW	045*057*7/10
DWIW	050*060*5/7
DWIW	050*060*7/10
DWIW	050*062*7/10
DWIW	055*069*8/13
DWIW	060*070*7/10


PART NUMBER	
DWIW	060*074*8/13
DWIW	065*079*8/13
DWIW	070*080*7/10
DWIW	070*084*8/13
DWIW	075*089*8/13
DWIW	080*090*7/10
DWIW	080*094*8/13
DWIW	085*099*8/13
DWIW	090*100*7/10
DWIW	090*104*8/13
DWIW	095*109*8/13
DWIW	100*114*9/14
DWIW	105*121*9/14
DWIW	110*126*9/14
DWIW	115*131*9/14
DWIW	120*136*9/14
DWIW	130*146*9/14
DWIW	140*160*10/15

YOUR PARTNER IN SEALING SOLUTIONS FOR YOUR HYDRAULIC APPLICATION !

T:+90-212-5446074 ▪ F:+90-212-5443120 ▪ www.hidroliksistemler.com ▪ info@hidroliksistemler.com



STYLE "DKB" DUST SEAL




SEAL INFORMATION

MATERIAL	POLYURETHANE+STEEL
PART NUMBER	(Prefix dimension in MM) (ΦDi)*(ΦDo)*(H)



**** IF YOU ARE LOOKING FOR OTHER SIZE, YOU CAN CONTACT WITH US, WE ARE ADDING NEW SIZE EVERYDAY****

PART NUMBER	
DKB	020*032*6/9
DKB	025*037*6/9
DKB	030*042*6/9
DKB	035*047*7/10
DKB	040*052*7/10
DKB	045*057*7/10
DKB	050*062*7/10
DKB	055*069*8/11
DKB	060*074*8/11
DKB	065*079*8/11
DKB	070*084*8/11
DKB	075*089*8/11

PART NUMBER	
DKB	080*094*8/11
DKB	085*099*8/11
DKB	090*104*8/11
DKB	095*109*8/11
DKB	100*114*8/11
DKB	105*121*9/12
DKB	110*126*9/12
DKB	115*131*9/12
DKB	120*136*9/12
DKB	125*141*9/12
DKB	130*146*9/12
DKB	140*160*10/1
DKB	150*170*10/1



STYLE "BRN - BRB" BACK UP RING



SEAL INFORMATION	
BRN MATERIAL	NYLON
BRB MATERIAL	PTFE (BRONZE FILLED)
PART NUMBER	(Prefix dimension in MM) (Ød)*(ØD)*(h)

PART NUMBER	
BRB	40*50*3
BRB	40*55*3
BRB	45*55*3
BRB	45*60*3
BRB	50*60*3
BRB	50*63*3
BRB	50*65*3
BRB	50*70*3
BRB	55*70*3
BRB	55*75*3
BRB	60*70*3
BRB	60*73*3
BRB	60*75*3
BRB	65*78*3
BRB	65*80*3
BRB	70*80*3
BRB	70*83*3
BRB	70*85*3
BRB	70*90*3
BRB	75*88*3
BRB	75*90*3
BRB	75*95*3
BRB	80*90*3
BRB	80*93*3
BRB	80*95*3

PART NUMBER	
BRB	80*100*3
BRB	85*100*3
BRB	85*105*3
BRB	90*105*3
BRB	90*110*3
BRB	95*110*3
BRB	95*115*3
BRB	100*115*3
BRB	100*120*3
BRB	105*120*3
BRB	105*125*3
BRB	110*125*3
BRB	110*130*3
BRB	115*135*3
BRB	120*135*3
BRB	120*140*3
BRB	125*140*3
BRB	130*145*3
BRB	130*150*3
BRB	140*155*3
BRB	140*160*3
BRB	150*170*3
BRB	160*180*4
BRB	170*190*4
BRB	180*200*4


PART NUMBER	
BRN	30*40*3
BRN	35*45*3
BRN	40*50*3
BRN	45*55*3
BRN	45*60*3
BRN	50*60*3
BRN	50*63*3
BRN	50*65*3
BRN	50*70*3
BRN	55*65*3
BRN	55*68*3
BRN	55*70*3
BRN	55*75*3
BRN	60*70*3
BRN	60*73*3
BRN	60*75*3
BRN	60*80*3
BRN	65*75*3
BRN	65*78*3
BRN	65*80*3
BRN	65*85*3
BRN	70*80*3
BRN	70*83*3
BRN	70*85*3
BRN	70*90*3
BRN	75*85*3
BRN	75*88*3
BRN	75*90*3
BRN	75*95*3

PART NUMBER	
BRN	80*90*3
BRN	80*93*3
BRN	80*95*3
BRN	80*100*3
BRN	85*100*3
BRN	85*105*3
BRN	90*105*3
BRN	90*110*3
BRN	95*110*3
BRN	95*115*3
BRN	100*115*3
BRN	100*120*3
BRN	105*120*3
BRN	105*125*3
BRN	110*125*3
BRN	110*130*3
BRN	115*130*3
BRN	115*135*3
BRN	120*135*3
BRN	120*140*3
BRN	125*145*3
BRN	130*145*3
BRN	130*150*3
BRN	140*160*3
BRN	145*160*3
BRN	150*165*3
BRN	150*170*3
BRN	160*180*3




STYLE "BRO" BACK UP RING


PTFE back up ring used for o-ring



T1 [Spiral Type]



T2 [Biascut Type]



T3 [Endless Type]



Can be also
produced with
%20 Bronze filled
PTFE

SEAL INFORMATION	
MATERIAL	VIRGIN PTFE
CUTTING	T2:BIAS CUT / T3: ENDLESS
PART NUMBER	(Prefix dimension in MM) (O-Ring Φ d or type)

** IF YOU ARE LOOKING FOR OTHER SIZE, YOU CAN CONTACT WITH US, WE ARE ADDING NEW SIZE EVERYDAY**

PART NUMBER	
BRO	020*024*1,25
BRO	021*025*1,25
BRO	022*026*1,25
BRO	022*028*1,25
BRO	025*030*1,25
BRO	025*031*1,25
BRO	026*032*1,25
BRO	028*032*1,25
BRO	028*034*1,25
BRO	030*035*1,25
BRO	030*036*1,25
BRO	035*040*1,25
BRO	035*041*1,25
BRO	040*045*1,25
BRO	040*046*1,25
BRO	040*050*1,90
BRO	045*050*1,25
BRO	045*051*1,25
BRO	045*055*1,90
BRO	050*056*1,25
BRO	050*060*1,90
BRO	055*060*1,25
BRO	055*065*1,90
BRO	060*065*1,25
BRO	060*070*1,90
BRO	065*070*1,25
BRO	065*075*1,90
BRO	066*071*1,25
BRO	070*075*1,25
BRO	070*080*1,90

PART NUMBER	
BRO	075*080*1,25
BRO	075*085*1,90
BRO	076*081*1,25
BRO	080*085*1,25
BRO	080*090*1,90
BRO	081*086*1,25
BRO	085*090*1,25
BRO	085*095*1,90
BRO	090*095*1,25
BRO	090*100*1,90
BRO	095*100*1,25
BRO	095*105*1,90
BRO	100*105*1,25
BRO	100*110*1,90
BRO	105*110*1,25
BRO	105*115*1,90
BRO	106*111*1,25
BRO	110*115*1,25
BRO	110*120*1,90
BRO	115*120*1,25
BRO	115*125*1,90
BRO	116*121*1,25
BRO	118*130*2,50
BRO	120*125*1,25
BRO	120*130*1,90
BRO	123*135*2,50
BRO	125*130*1,25
BRO	125*135*1,90
BRO	126*131*1,25
BRO	128*140*2,50

PART NUMBER	
BRO	130*135*1,25
BRO	130*140*1,90
BRO	133*145*2,50
BRO	135*140*1,25
BRO	135*145*1,90
BRO	136*141*1,25
BRO	138*150*2,50
BRO	140*145*1,25
BRO	140*150*1,90
BRO	142*152*1,90
BRO	145*150*1,25
BRO	145*155*1,90
BRO	146*151*1,25
BRO	148*160*2,50
BRO	150*160*1,90
BRO	150*165*2,75
BRO	152*162*1,90
BRO	155*170*2,75
BRO	160*170*1,90
BRO	160*175*2,75
BRO	162*172*1,90
BRO	165*175*1,90
BRO	165*180*2,75
BRO	168*180*2,50
BRO	170*180*1,90
BRO	170*185*2,75
BRO	172*182*1,90
BRO	175*185*1,90
BRO	175*190*2,75
BRO	180*190*1,90

PART NUMBER	
BRO	180*195*2,75
BRO	182*192*1,90
BRO	185/195/1,90
BRO	185*200*2,75
BRO	190*200*1,90
BRO	190*205*2,75
BRO	192*202*1,90
BRO	200*210*1,90
BRO	200*215*2,75
BRO	202*212*1,90
BRO	205*220*2,75
BRO	210*220*1,90
BRO	210*225*2,75
BRO	215*225*1,90
BRO	215*230*2,75
BRO	220*230*1,90
BRO	220*235*2,75
BRO	225*235*1,90
BRO	230*240*1,90
BRO	235*250*2,75
BRO	240*250*1,90
BRO	242*252*1,90
BRO	250*260*1,90
BRO	250*265*2,75
BRO	270*280*1,90
BRO	275*285*1,90
BRO	285*300*2,75
BRO	290*300*1,90
BRO	300*310*1,90
BRO	300*315*2,75


YOUR PARTNER IN SEALING SOLUTIONS FOR YOUR HYDRAULIC APPLICATION !

T:+90-212-5446074 ■ F:+90-212-5443120 ■ www.hidroliksistemler.com ■ info@hidroliksistemler.com




STYLE "BRZ" BACK UP RING


PTFE back up ring used for o-ring



T1 [Spiral Type]



T2 [Biacut Type]



T3 [Endless Type]



SEAL INFORMATION	
MATERIAL	VIRGIN PTFE
CUTTING	T1:SPIRAL
PART NUMBER	(Prefix dimension in MM) (O-Ring Φ d or type)

** IF YOU ARE LOOKING FOR OTHER SIZE, YOU CAN CONTACT WITH US, WE ARE ADDING NEW SIZE EVERYDAY**


PART NUMBER	
BRZ	005,1*008*0,7
BRZ	007,1*010*0,7
BRZ	010,5*015*0,7
BRZ	012,0*015*0,7
BRZ	023,8*030*0,7
BRZ	027,8*034*0,7
BRZ	031,8*038*0,7
BRZ	033,8*040*0,7
BRZ	035,8*042*0,7
BRZ	038,8*045*0,7
BRZ	040,0*045*0,7
BRZ	041,8*048*0,7
BRZ	043,0*048*0,7
BRZ	048,8*055*0,7
BRZ	053,8*060*0,7
BRZ	055,5*060*0,7
BRZ	056,8*063*0,7
BRZ	059,8*066*0,7
BRZ	060,0*070*0,8
BRZ	060,5*065*0,7
BRZ	060,5*070*0,8
BRZ	063,8*070*0,7
BRZ	065,5*070*0,7
BRZ	070,0*080*0,8

PART NUMBER	
BRZ	070,5*075*0,7
BRZ	070,5*080*0,8
BRZ	073,8*080*0,7
BRZ	075,0*085*0,8
BRZ	075,5*080*0,7
BRZ	075,5*085*0,8
BRZ	078,8*085*0,7
BRZ	080,0*090*0,8
BRZ	080,5*085*0,7
BRZ	080,5*090*0,8
BRZ	083,8*090*0,7
BRZ	085,0*095*0,8
BRZ	085,5*090*0,7
BRZ	085,5*095*0,8
BRZ	088,8*095*0,7
BRZ	090,0*100*0,8
BRZ	090,5*095*0,7
BRZ	090,5*100*0,8
BRZ	093,8*100*0,7
BRZ	095,0*105*0,8
BRZ	095,5*100*0,7
BRZ	095,5*105*0,8
BRZ	098,8*105*0,7
BRZ	100,0*110*0,8

PART NUMBER	
BRZ	100,5*110*0,8
BRZ	103,8*110*0,7
BRZ	105,0*115*0,8
BRZ	105,5*115*0,8
BRZ	108,8*115*0,7
BRZ	110,0*120*0,8
BRZ	110,5*120*0,8
BRZ	113,8*120*0,7
BRZ	115,0*125*0,8
BRZ	115,5*125*0,8
BRZ	118,8*125*0,7
BRZ	120,0*130*0,8
BRZ	120,5*130*0,8
BRZ	130,0*140*0,8
BRZ	140,0*150*0,8
BRZ	149,9*158*0,8
BRZ	150,0*160*0,8
BRZ	153,0*165*1,2
BRZ	160,0*170*0,8
BRZ	170,0*180*0,8
BRZ	180,0*190*0,8
BRZ	190,0*200*0,8


YOUR PARTNER IN SEALING SOLUTIONS FOR YOUR HYDRAULIC APPLICATION !

T:+90-212-5446074 ▪ F:+90-212-5443120 ▪ www.hidrolikсистemler.com ▪ info@hidrolikсистemler.com



STYLE "SRP" BACK UP RING

Nylon back up ring used with GRBW Slipper Seal



SEAL INFORMATION	
MATERIAL	NYLON
USED WITH	Slipper Seal (GRBW)
PART NUMBER	(Prefix) (Φd)*(ΦD)*(h)

PART NUMBER	
SRP	95*90*2.5
SRP	100*95*2.5
SRP	105*100*2.5
SRP	110*104*3
SRP	110*105*2.5
SRP	115*109*3
SRP	120*114*3
SRP	125*119*3

PART NUMBER	
SRP	130*124*3
SRP	135*129*3
SRP	140*134*3
SRP	145*139*3
SRP	150*144*3
SRP	160*154*3
SRP	170*164*3
SRP	190*184*3



STYLE "WAS" WASHER




PART NUMBER	
WAS	077,47*126,80
WAS	089,54*119,20
WAS	101,60*144,58
WAS	116,20*148,50
WAS	127,10*170,20
WAS	172,00*242,00
WAS	226,00*266,50
WAS	246,50*282,00
WAS	247,10*287,50



WASHER INFORMATION	
MATERIAL	FIBER
PART NUMBER	(Prefix) (Φd)*(ΦD)



STYLE "OR" O-RING




SEAL INFORMATION	
MATERIAL	NBR-70/90 SHORE
PART NUMBER	(Prefix dimension in MM) (W)*(Φd)

**** FOR VmQ AND FKM O-RING, PLEASE CONTACT WITH US****

PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
OR 1,78-007,65	OR 3,10-029,40	OR 3,50-024,70	OR 3,53-101,19	OR 5,70-094,60	OR 5,70-269,30
OR 1,78-010,82	OR 3,10-034,40	OR 3,50-025,70	OR 3,53-104,37	OR 5,70-099,60	OR 5,70-274,30
OR 1,78-012,42	OR 3,10-039,40	OR 3,50-027,70	OR 3,53-107,54	OR 5,70-104,60	OR 5,70-279,30
OR 1,78-014,00	OR 3,10-044,40	OR 3,50-028,70	OR 3,53-120,24	OR 5,70-109,60	OR 5,70-304,30
OR 1,78-023,52	OR 3,10-049,40	OR 3,50-029,70	OR 3,53-126,58	OR 5,70-114,60	OR 5,70-309,30
OR 1,78-034,65	OR 3,10-054,40	OR 3,50-030,70	OR 3,53-132,94	OR 5,70-119,60	OR 5,70-314,30
OR 1,78-044,17	OR 3,10-059,40	OR 3,50-031,70	OR 3,53-145,64	OR 5,70-124,60	OR 5,70-364,30
OR 1,90-005,80	OR 3,10-064,40	OR 3,50-032,70	OR 3,53-151,99	OR 5,70-129,60	OR 5,70-369,30
OR 1,90-009,80	OR 3,10-069,40	OR 3,50-033,70	OR 3,53-158,34	OR 5,70-134,60	OR 5,70-409,30
OR 2,40-009,80	OR 3,10-074,40	OR 3,50-034,70	OR 3,53-202,76	OR 5,70-139,60	OR 5,70-464,30
OR 2,40-010,80	OR 3,10-079,40	OR 3,50-035,70	OR 3,53-209,13	OR 5,70-144,60	OR 8,40-144,50
OR 2,40-011,80	OR 3,10-084,40	OR 3,50-037,70	OR 3,53-221,84	OR 5,70-149,30	OR 8,40-149,50
OR 2,40-013,80	OR 3,10-089,40	OR 3,50-038,70	OR 3,53-253,59	OR 5,70-154,30	OR 8,40-154,50
OR 2,40-015,80	OR 3,10-094,40	OR 3,50-039,70	OR 3,53-291,69	OR 5,70-159,30	OR 8,40-164,50
OR 2,40-016,80	OR 3,10-099,40	OR 3,50-040,70	OR 3,53-304,39	OR 5,70-164,30	OR 8,40-169,50
OR 2,40-017,80	OR 3,10-104,40	OR 3,50-041,70	OR 5,33-139,07	OR 5,70-169,30	OR 8,40-174,50
OR 2,40-018,80	OR 3,10-109,40	OR 3,50-043,70	OR 5,33-148,59	OR 5,70-174,30	OR 8,40-179,50
OR 2,40-019,80	OR 3,10-114,40	OR 3,50-044,70	OR 5,33-158,12	OR 5,70-179,30	OR 8,40-184,50
OR 2,40-020,80	OR 3,10-119,40	OR 3,50-045,70	OR 5,33-189,87	OR 5,70-184,30	OR 8,40-189,50
OR 2,40-021,80	OR 3,10-124,40	OR 3,50-047,70	OR 5,33-227,96	OR 5,70-189,30	OR 8,40-194,50
OR 2,62-012,37	OR 3,10-129,40	OR 3,50-048,70	OR 5,70-049,60	OR 5,70-194,30	OR 8,40-199,50
OR 2,62-015,54	OR 3,10-134,40	OR 3,50-049,70	OR 5,70-054,60	OR 5,70-199,30	OR 8,40-204,50
OR 2,62-018,72	OR 3,10-139,40	OR 3,53-021,82	OR 5,70-059,60	OR 5,70-204,30	OR 8,40-214,50
OR 2,62-034,57	OR 3,10-144,40	OR 3,53-026,57	OR 5,70-064,60	OR 5,70-209,30	OR 8,40-234,50
OR 2,62-048,90	OR 3,10-149,40	OR 3,53-056,74	OR 5,70-069,60	OR 5,70-214,30	OR 8,40-244,50
OR 3,10-021,40	OR 3,10-154,40	OR 3,53-059,92	OR 5,70-074,60	OR 5,70-219,30	OR 8,40-249,50
OR 3,10-023,40	OR 3,10-159,40	OR 3,53-066,27	OR 5,70-079,60	OR 5,70-224,30	
OR 3,10-025,40	OR 3,50-021,70	OR 3,53-069,44	OR 5,70-084,60	OR 5,70-229,30	
OR 3,10-027,40	OR 3,50-023,70	OR 3,53-094,84	OR 5,70-089,60	OR 5,70-239,30	

YOUR PARTNER IN SEALING SOLUTIONS FOR YOUR HYDRAULIC APPLICATION !



T:+90-212-5446074 ▪ F:+90-212-5443120 ▪ www.hidroliksistemler.com ▪ info@hidroliksistemler.com




STYLE "IU&IUC" SEAL RING



OU TYPE



IU TYPE



**** IU & OU TYPE USED IN KOMATSU™ APPLICATION ****

PART NUMBER	
IU	080*089*4
IU	095*101*2,9
IU	110*116*2,9
IU	135*141*2,9
IU	200*206*2,9
IU	210*216*2,9
IU	215*221*2,9
IU	225*233*2,9
IU	235*241*2,9
IU	300*309*4

PART NUMBER	
IUC	066,0*073,8
IUC	082,5*090,3
IUC	088,9*096,7
IUC	111,2*119,4
IUC	118,2*126,4
IUC	130,0*137,9
IUC	139,7*147,4
IUC	158,5*166,4
IUC	165,1*173
IUC	171,5*179,3

PART NUMBER	
IUC	174,6*182,5
IUC	180,0*187,9
IUC	184,1*192
IUC	225,2*233,0
IUC	228,6*236,5
IUC	235,0*243
IUC	237,9*245,8
IUC	242,0*250
IUC	247,0*254,7
IUC	247,0*255,8


PART NUMBER	
IUC	254,0*261,8
IUC	260,3*268
IUC	270,0*277,9
IUC	281,2*289
IUC	290,0*297,9
IUC	292,0*299,9
IUC	300,0*307,9
IUC	304,8*312,8
IUC	306,1*316,1
IUC	317,5*326,7

PART NUMBER	
IUC	320,7*328,6
IUC	330,0*337,9
IUC	335,0*342,9
IUC	355,6*364,9
IUC	370,0*377,9
IUC	375,0*382,9
IUC	406,4*414,2
IUC	419,1*427
IUC	441,3*449,1
IUC	450,6*458,4
IUC	473,0*480,9

****Disclaimer:** The registered trademarks of original equipment manufacturers are used for reference purposes only. **

YOUR PARTNER IN SEALING SOLUTIONS FOR YOUR HYDRAULIC APPLICATION !

T:+90-212-5446074 ▪ F:+90-212-5443120 ▪ www.hidrolikсистemler.com ▪ info@hidrolikсистemler.com



STYLE "OU&OUC" SEAL RING

OUC TYPE

IUC TYPE


SEAL INFORMATION	
MATERIAL	PTFE (GLASS FILLED)
PART NUMBER	(Prefix dimension in MM) (ΦD)*(Φd)*(H)

**** OUC TYPE HAS OUTER CONICAL WHEREAS IUC HAS INNER CONICAL ****

**** IUC & OUC TYPES USED IN CATERPILLAR™ APPLICATION ****

PART NUMBER	
OU	115*109*2,9
OU	135*129*2,9
OU	145*139*2,9
OU	150*141*3,5
OU	160*154*2,9
OU	165*159*2,9
OU	170*164*2,9
OU	175*169*2,9
OU	180*171*3,5
OU	180*174*2,9
OU	190*184*2,9
OU	195*186*4
OU	200*194*2,9
OU	210*204*2,9
OU	215*209*2,9
OU	220*214*2,9
OU	230*224*2,9
OU	235*229*2,9
OU	240*234*2,9
OU	245*239*2,9
OU	250*244*2,9

PART NUMBER	
OU	265*259*2,9
OU	275*269*2,9
OU	280*272*2,9
OU	280*274*2,9
OU	285*279*2,9
OU	290*284*2,9
OU	300*294*2,9
OU	305*299*2,9
OU	315*309*2,9
OU	320*314*2,9
OU	325*319*2,9
OU	335*329*2,9
OU	336*327*4
OU	340*334*2,9
OU	350*341*4
OU	360*351*4
OU	360*353*3,25
OU	400*392*3,8
OU	400*394*2,9
OU	425*417*3,8
OU	455*447*3,8

PART NUMBER	
OUC	105,0*097,1
OUC	120,7*112,8
OUC	123,8*116
OUC	132,4*124,4
OUC	133,4*125,6
OUC	137,2*129,4
OUC	142,3*134,5
OUC	142,9*135,1
OUC	147,7*139,8
OUC	162,5*154,7
OUC	170,2*162,4
OUC	175,9*168,1
OUC	179,3*171,5
OUC	188,6*180,9
OUC	190,5*182,7
OUC	193,7*185,9
OUC	203,3*195,2
OUC	205,6*197,8
OUC	206,4*198,5
OUC	211,5*203,8
OUC	212,8*205

PART NUMBER	
OUC	215,9*208,1
OUC	225,4*217,7
OUC	229,9*222,2
OUC	261,0*253,2
OUC	269,9*261
OUC	270,7*262,9
OUC	280,1*272,2
OUC	283,9*276,1
OUC	288,7*280,8
OUC	292,1*284,4
OUC	298,4*290,4
OUC	306,3*298,4
OUC	311,2*303,4
OUC	336,6*329
OUC	339,7*332
OUC	342,9*334,9
OUC	349,5*341,7
OUC	368,2*360,4
OUC	374,7*367
OUC	382,9*375,2
OUC	401,3*393,6

PART NUMBER	
OUC	406,4*398,5
OUC	419,1*411,2
OUC	482,6*474,8
OUC	520,7*512,8
OUC	533,5*525,7



****Disclaimer:**The registered trademarks of original equipment manufacturers are used for reference purposes only.**

YOUR PARTNER IN SEALING SOLUTIONS FOR YOUR HYDRAULIC APPLICATION !

T:+90-212-5446074 ▪ F:+90-212-5443120 ▪ www.hidroliksistemler.com ▪ info@hidroliksistemler.com



HYDRAULIC CYLINDER REPAIR KITS




Major part of the seal kits which belong to world wide known heavy machinery brands (**Caterpillar, Komatsu, Hitachi, Kawasaki, Kato, Kobelco, Liebherr, Volvo, Daewoo, Hyundai, Samsung, Eder, Sumitomo**) are available at our stock. Please get in contact with us for the relevant repair kits used in different branded machineries which are not specified above.

We are regularly adding new parts to our product range, just get in touch with us for your other needs. Our dedicated team members offer solution for your most demanding applications.

****Disclaimer:** The registered trademarks of original equipment manufacturers are used for reference purposes only.**

Our product range also comprises custom made products, made of PTFE and other engineering plastics !!!

Some samples
about our
special
productions..!!



YOUR PARTNER IN SEALING SOLUTIONS FOR YOUR HYDRAULIC APPLICATION !

T:+90-212-5446074 ▪ F:+90-212-5443120 ▪ www.hidroliksistemler.com ▪ info@hidroliksistemler.com